

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|--------------|--|---|-----------------|
| 2516 | MTG BKT-8330A/40A-(2EA/M.PK) | Quick-Mount® Fixed Angle Bracket for 8330A and 8340A. Packed 2 | 35.00 |
| 2517 | BRKT 8330A/8340A | Adjustable Bracket for 8330A and 8340A. Packed 2 Pieces Per Master | 46.00 |
| 3635 | LC-SUB,18" PRO SYSTEM | 8 ohm, Single 18" Bass Reflex Subwoofer System, Shallow Profile. | 861.00 |
| 3677 | LC-1,15",2-WAY,PRO SYS | Single Enclosure, (Shallow Profile) Components: 2035H, 2416H-1 Driver, | 887.00 |
| 3722 | 2WAY SCREEN ARRAY W/NTWRK-PASSIVE APPL | Two-Way Screen Array® For Small Cinemas For Bi-Amp Applications. 400 | 1,129.00 |
| 3730 | SCREEN ARRAY THREE-WAY CINEMA SYSTEM | Three Way ScreenArray for small to medium cinemas for Passive/Bi Amp | 1,557.00 |
| 3731 | SCREEN ARRAY THREE-WAY CINEMA SYSTEM | Three-way ScreenArray for Small to Medium Cinemas and Post | 2,559.00 |
| 3732 | SCREEN ARRAY THREE-WAY CINEMA SYSTEM | Three-way ScreenArray for Small to Medium Cinemas For Bi-Amp | 2,413.00 |
| 3739 | LF FOR 3732 SCREEN ARRAY | 4 ohm Low Frequency Section for 3732 and 3722N System Components: | 765.00 |
| 4181 | BASIC CINEMA SUBWOOFER | 8 ohm, Single 18" Bass Reflex Subwoofer System Enclosure. 500 watts. | 720.00 |
| 4638 | 2" X 15" WOOFER | 4 ohm Low Frequency Cabinet. Components: Two 2035H Installed in | 1,351.00 |
| 4641 | 18" SUBWOOFER | 8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2241H | 888.00 |
| 4722 | 2WAY SCREEN ARRAY/BI-AMP APP-MED CINEMA | Two-Way ScreenArray for Small to Medium Cinemas For Bi-Amp | 1,640.00 |
| 4732 | SCREEN ARRAY THREE-WAY CINEMA SYSTEM | Three-Way Screen Array for Medium to Large Cinemas For Bi-Amp | 3,270.00 |
| 4739 | S/M, 4739 | 4 ohm Low Frequency Section for 3732T, 4732 and 4732T Components: | 1,038.00 |
| 5641 | 15" Single LOADED CABINET THEATER SYSTEM | 4 ohm Low frequency Section for 3731 ScreenArray 1 x 2226 driver | 800.00 |
| 5672 | MID-SIZE THREE-WAY SCREEN CHANNEL SYSTEM | Mid-Size Three-Way Screen Channel System, Dual Woofer. For Tri- | 6,627.00 |
| 5674 | LARGE THREE-WAY SCREEN CHANNEL SYSTEM | Large Three-Way Screen Channel System, Quad Low Frequency Cabinet, | 8,106.00 |
| 5732 | 5732-M/HF 1pc & 5739 1pc | Three-Way High Power ScreenArray® for Medium to Large Cinemas and | 3,691.00 |
| 5739 | LOW FREQUENCY for 5732 SCREEN ARRAY | 4 ohm Low Frequency Section for 5732 System. Components: Two | 1,328.00 |
| 5742 | SYSTEM (1) 5742-M/HF & (1) 5749 | Four-Way Ultra High Power ScreenArray for Large Format Cinemas. For | 5,423.25 |
| 5749 | LOW FREQUENCY for 5742 SCREEN ARRAY | 4 ohm Low Frequency Section for the 5742 System. Components: Two | 2,187.00 |
| 8124 | 4"CEILING SPKR W/ X-FORMER (4PCS P/Ctn) | 4" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus | 36.00 |
| 8128 | 8" CEILING SPKR W/ X-FORMER (4PCS P/Ctn) | 8" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus | 47.00 |
| 8138 | FULL RANGE LOUDSPEAKERS (4PCS PER CTN) | 8" Ceiling Speaker for Pre-Install Backcan, stylish look, for use with MTC- | 50.00 |
| 8320 | 150W COMPACT SURROUND SPEAKER | Two-Way Surround System, 8" Low Frequency Driver, 1" Dome Tweeter, | 247.00 |
| 8350 | S/M, 8350 | Two-Way, Very High Power, 350 Watt Surround. Titanium High | 546.00 |
| 2206H | S/M, 2206H 12" WOOFER | 12" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 | 450.00 |
| 2226H | S/M, 2226H 15" WOOFER | 15" High Power, Low Frequency, 600W AES Vented Gap Cooling™,8 | 503.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|--------------|--|---|-----------------|
| 2226J | S/M, 2226J 15" WOOFER | 15" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 16 | 503.00 |
| 2241H | S/M, 2241H 18" WOOFER | 18" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 | 797.00 |
| 2242H | 18" LOW FREQ | 18" Maximum Output, 800W AES Super Vented Gap Cooling™, 8 ohms. | 1,017.00 |
| 229-00009-01 | HARDWARE KIT, SP/VS | Set of Three M10 x 35mm Forged Shoulder Steel Eyebolts. | 40.00 |
| 2360B | TWO PIECE HORN/4675C-HFA | Bi-Radial® Horn, Constant Coverage 90° x 40°, 2" Throat, 350 Hz. | 941.00 |
| 2370A | BI-RADIAL HORN | 1" Flat-Front Bi-Radial® Horn, 90° x 40°, 800 Hz. | 256.00 |
| 2380A | BI-RADIAL HORN | 2" Medium Format Flat-Front Bi-Radial® Horn, 90° x 40° Nominal Pattern, | 331.00 |
| 2382A | BI-RADIAL HORN | 2" Medium Format Flat-Front Bi-Radial® Horn, 120° x 40° Nominal | 416.00 |
| 2385A | FLAT-FRONT BI-RADIAL | 2" Medium Format Flat-Front Bi-Radial® Horn, 60° x 40° Nominal Pattern, | 331.00 |
| 2426H | Replacement COMP DRIVER, 8 OHM | Compression Driver, 1.75" Titanium Diaphragm, 8 ohms. | 440.00 |
| 2426J | Replacement COMP DRIVER, 16 OHM | Compression Driver, 1.75" Titanium Diaphragm, 16 ohms. | 440.00 |
| 2446H | S/M COMP. DRIVER | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ | 839.00 |
| 2446J | COMPRESSION DRV RPL | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ | 839.00 |
| 2447H | S/M, COMPRESSION DRV | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ | 839.00 |
| 2447J | S/M, COMPRESSION DRV | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ | 839.00 |
| 2450H | S/M, COMPRESS DRIVERNEODYMIUM | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ | 1,542.00 |
| 2450J | S/M, COMPRESSION DRV | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ | 1,542.00 |
| 2451H | S/M, COMPRESSION DRV | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ | 1,500.00 |
| 2451J | S/M, COMPRESSION DRV | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ | 1,500.00 |
| 2506C | BRCKT ASSM FOR 2360B/4675C-HFA | Heavy Duty Steel Adjustable-Position Mounting Bracket for 2360B, | 190.00 |
| 2509A | 3WAY POSTION MTG BRCKT 1.5" & 2" | Three-Way Adjustable-Position Mounting Bracket for 2380 Series Flat- | 146.00 |
| 3252N | BASIC CINEMA 2WAYS SCREEN CHANNEL SPKR | Single Enclosure, (Shallow Profile) Components: Dual 15" Low Frequency | 890.00 |
| 351145-001 | RMC KIT, LSR63XX | RMC KIT, LSR6328P and LSR6312SP | 155.00 |
| 3678-HF | HORN,COMP. DRVR ASSY | High Frequency Section with Horn Bracket for 3678 System. | 574.00 |
| 3678-LF | 15" WOOFER PRO SYSTEM | 8 ohm Low Frequency Section for 3678 System. Components: 2226H | 973.00 |
| 3722-HF | S/M, 3722-HF | High Frequency Section for 3722 System. Bi-Am Components 2374 | 363.00 |
| 3722N | 2WAY SCREEN ARRAY W/NTWRK-PASSIVE APPL | Two-way ScreenArray® for Small Cinemas For Passive Applications, 400 | 1,182.00 |
| 3722N-HF | S/M, 3722N-HF | High Frequency Section for 3722N System – Passive. Components: 2374 | 417.00 |
| 3730-M/HF | S/M, 3730-M/HF | Mid/High Frequency Section for 3730 System. Components: One 195H | 792.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|--------------|---|--|-----------------|
| 3732-M/HF | S/M, 3732-M/HF | Mid/High Frequency Section for 3732 System - Components: Two 165H | 1,647.00 |
| 3732-M/HF-T | S/M, 3732-M/HF-T | Mid/High Frequency Section for 3732T System. Components: Two 165H | 1,681.00 |
| 3732T | TRI-AMP 3/WAY SCREEN ARRAY-SM TO MED | Three-way ScreenArray for Small to Medium Cinemas For Bi-Amp | 2,723.00 |
| 4638TH | SYS,THEATER | 4 ohm Low Frequency Section for 4670D and 4675C Systems. | 1,389.00 |
| 4642A | 2X18 SUBWOOFER SYSTEM | 4 ohm, Dual 18" Bass Reflex Subwoofer System. Components: Two | 2,024.00 |
| 4642A-GS | 2X18 SUBWOOFER SYSTEM | 4 ohm, Dual 18" Bass Reflex Subwoofer System with Grille. Approved by | 2,206.00 |
| 4645C | S/M 4645C SINGLE PORT SUB | 8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2242H | 1,453.00 |
| 4648A | LOW FREQ. SYS, 15"-2WAY | 4 ohm Low Frequency Section for 4675C-4LF System. Components: Two | 1,509.00 |
| 4648A-8 | SYS,15"-2WAY | 8 ohm Low Frequency Section for 4675C-8LF System. Components: Two | 1,509.00 |
| 4670D | THEATER SYSTEM, DIRECT HI-RAD HI-POWER | Direct-Radiator High Power System, Components: 4638TH, 4670D-HF. | 2,577.00 |
| 4670D-HF | HIGH FREQ BRAQ SYSTM | High Frequency Section with Swivel Horn Bracket for 4670D System, | 1,189.00 |
| 4675C | THEATRE SYSTEM, DIR-RAD,HI-PWR,LRGE | Direct-Radiator High Power Large System, Components: 4638TH, 4675C- | 3,195.00 |
| 4675C-4LF | THEATRE SYST,DIR-RADMHI-PWR,LRG,BIA | Direct-Radiator High Power Large System for Bi-Amplified Applications, 4 | 3,315.00 |
| 4675C-8LF | THEATRE SYST,DIR-RADMHI-PWR,LRG,BIAM | Direct-Radiator High Power Large System for Bi-Amplified Applications, 8 | 3,315.00 |
| 4675C-HFA | S/M HORN/BACKET SYS | High Frequency Section with Swivel Horn Bracket for 4675C, 4675C-4LF | 1,809.00 |
| 4722-HF | S/M, 4722-HF | High Frequency Section for 4722 System – Bi-Amp. Components: 2384 | 602.00 |
| 4722N | 2WAY SCREEN ARRAY W/NTWRK-PASSIVE APPL | Two-Way ScreenArray for Small to Medium Cinemas For Passive | 1,739.00 |
| 4722N-HF | S/M, 4722N-HF | High Frequency Section for 4722N System – Passive. Components: 2384 | 700.00 |
| 4732-M/HF | S/M, 4732-M/HF | Mid/High Frequency Section for 4732 System. Components: Four 165H | 2,231.00 |
| 4732-M/HF-T | S/M, 4732-M/HF-T | Mid/High Frequency Section for 4732T System Components: Four 165H | 2,231.00 |
| 4732T | TRI-AMP 3/WAY SCREEN ARRAY-SM TO MED | Three-Way Screen Array for Medium to Large Cinemas For Tri-Amp | 3,270.00 |
| 5672BI | MID-SIZE BI-AMP SYS W/PASSIVE CROSSOVER | Bi-Amplified Version of 5672 with 3172 Crossover. | 6,728.00 |
| 5674-M/HF | HORN/DRIVER BRKT ASSYCINEMA 5000 SERIES | Mid/High Frequency Section for 5672 and 5674 System. Components: | 4,978.00 |
| 5732-M/HF | MID HIGH SECTION 3-WAY SCREEN ARRAY | Mid-High Frequency Section for 5732 System. Components: Two 2169J | 2,363.00 |
| 5742-M/HF | HIGH POWER 4-WAY SCREEN ARRAY M/HF | Mid-High Frequency Section for 5742 System. Components: Four 2169J | 3,236.00 |
| 8340A | 10IN. 2WAY CINEMA SURROUND MOLDED BOX | Two-Way Surround System, High Power, 250 watts, Convenient | 546.00 |
| AC15 | SM, AC15 5.25" 2way | Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, | 383.00 |
| AC15-WH | AC15-WH (white) | Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, | 383.00 |
| AC16 | AC16 - Single 6.5" 2-way | Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, | 772.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|---------------|---|--|-----------------|
| AC16-WH | AC16 - Single 6.5" 2-way (white) | Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, | 772.00 |
| AC16-WRC | AC16 - Single 6.5" 2-way (Weather Protection Treatment) | Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, | 1,444.00 |
| AC16-WRX | AC16 - Single 6.5" 2-way (Extreme Weather Protection Treatment) | Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, | 1,554.00 |
| AC18/26 | AC18/26 - SINGLE 8"2-WAY | Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, | 945.00 |
| AC18/26-WH | AC18/26 - SINGLE 8"2-WAY (white) | Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, | 945.00 |
| AC18/26-WRC | AC18/26 - SINGLE 8"2-WAY (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, | 1,654.00 |
| AC18/26-WRX | AC18/26 - SINGLE 8"2-WAY (Extreme Weather Protection Treatment) | Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, | 1,874.00 |
| AC18/95 | AC18/95 - SINGLE 8"2-WAY | Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. | 945.00 |
| AC18/95-WH | AC18/95 - SINGLE 8"2-WAY (white) | Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. | 945.00 |
| AC18/95-WRC | AC18/95 - SINGLE 8"2-WAY (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. | 1,654.00 |
| AC18/95-WRX | AC18/95 - SINGLE 8"2-WAY (Extreme Weather Protection Treatment) | Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. | 1,874.00 |
| AC2212/00 | 12" 2-WAY 100X100 DEG SPEAKER | Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi- | 1,024.00 |
| AC2212/00-WH | 12" 2-WAY 100X100 DEG SPEAKER (white) | Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi- | 1,118.00 |
| AC2212/00-WRC | 12" 2-WAY 100X100 DEG SPEAKER (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi- | 2,000.00 |
| AC2212/00-WRX | 12" 2-WAY 100X100 DEG SPEAKER (Extreme Weather Protection) | Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi- | 2,457.00 |
| AC2212/64 | 12" 2-WAY 60X40 DEG SPEAKER | Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi- | 977.00 |
| AC2212/64-WH | 12" 2-WAY 60X40 DEG SPEAKER (white) | Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi- | 977.00 |
| AC2212/64-WRC | 12" 2-WAY 60X40 DEG SPEAKER (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi- | 2,016.00 |
| AC2212/64-WRX | 12" 2-WAY 60X40 DEG SPEAKER (Extreme Weather Protection) | Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi- | 2,205.00 |
| AC2212/95 | 12" 2-WAY 90X50 DEG SPEAKER | Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi- | 977.00 |
| AC2212/95-WH | 12" 2-WAY 90X50 DEG SPEAKER (white) | Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi- | 977.00 |
| AC2212/95-WRC | 12" 2-WAY 90X50 DEG SPEAKER (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi- | 2,016.00 |
| AC2212/95-WRX | 12" 2-WAY 90X50 DEG SPEAKER (Extreme Weather Protection) | Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi- | 2,205.00 |
| AC2215/00 | 15" 2-WAY 100X100 DEG SPEAKER | Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi- | 1,103.00 |
| AC2215/00-WH | 15" 2-WAY 100X100 DEG SPEAKER (white) | Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi- | 1,260.00 |
| AC2215/00-WRC | 15" 2-WAY 100X100 DEG SPEAKER (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi- | 2,195.00 |
| AC2215/00-WRX | 15" 2-WAY 100X100 DEG SPEAKER (Extreme Weather Protection) | Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi- | 2,552.00 |
| AC2215/64 | 5" 2-WAY 60X40 DEG SPEAKER | Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi- | 1,066.00 |
| AC2215/64-WH | 5" 2-WAY 60X40 DEG SPEAKER (white) | Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi- | 1,066.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|---------------|---|--|-----------------|
| AC2215/64-WRC | 5" 2-WAY 60X40 DEG SPEAKER (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi- | 1,869.00 |
| AC2215/64-WRX | 5" 2-WAY 60X40 DEG SPEAKER (Extreme Weather Protection | Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi- | 2,195.00 |
| AC2215/95 | 15" 2-WAY 90X50 DEG SPEAKER | Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi- | 1,066.00 |
| AC2215/95-WH | 15" 2-WAY 90X50 DEG SPEAKER (white) | Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi- | 1,066.00 |
| AC2215/95-WRC | 15" 2-WAY 90X50 DEG SPEAKER (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi- | 1,869.00 |
| AC2215/95-WRX | 15" 2-WAY 90X50 DEG SPEAKER (Extreme Weather Protection | Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi- | 2,195.00 |
| AC25 | AC25 - Dual 5.25" 2way | Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, | 714.00 |
| AC25-WH | AC25 - Dual 5.25" 2way (white) | Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, | 714.00 |
| AC26 | AC26 - Dual 6.5" 2way | Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, | 1,103.00 |
| AC26-WH | AC26 - Dual 6.5" 2way (white) | Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, | 1,103.00 |
| AC26-WRC | AC26 - Dual 6.5" 2way (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, | 1,775.00 |
| AC26-WRX | AC26 - Dual 6.5" 2way (Extreme Weather Protection Treatment) | Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, | 1,885.00 |
| AC28/26 | AC28/26 - Dual 8" 2way | Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, | 1,276.00 |
| AC28/26-WH | AC28/26 - Dual 8" 2way (white) | Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, | 1,276.00 |
| AC28/26-WRC | AC28/26 - Dual 8" 2way (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, | 1,985.00 |
| AC28/26-WRX | AC28/26 - Dual 8" 2way (Extreme Weather Protection Treatment) | Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, | 2,205.00 |
| AC28/95 | AC28/95 - Dual 8" 2way | Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. | 1,276.00 |
| AC28/95-WH | AC28/95 - Dual 8" 2way (white) | Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. | 1,276.00 |
| AC28/95-WRC | AC28/95 - Dual 8" 2way (Weather Protection Treatment) | Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. | 1,985.00 |
| AC28/95-WRX | AC28/95 - Dual 8" 2way (Extreme Weather Protection Treatment) | Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. | 2,205.00 |
| AL7115 | 15" LOW FREQUENCY SPEAKER | High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H | 1,544.00 |
| AL7115-WH | 15" LOW FREQUENCY SPEAKER | High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H | 1,544.00 |
| AL7115-WRC | 15" LOW FREQUENCY SPEAKER | With Weather Protection Treatment. Refer to WEATHER RESISTANT | 2,420.00 |
| AL7115-WRX | 15" LOW FREQUENCY SPEAKER | With Weather Protection Treatment. Refer to WEATHER RESISTANT | 3,087.00 |
| AM5212/00 | Two-way full range loudspeaker | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL | 1,596.00 |
| AM5212/00-WH | Two-way full range loudspeaker (white) | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL | 1,596.00 |
| AM5212/00-WRC | Two-way full range loudspeaker (Extreme Weather Protection | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,489.00 |
| AM5212/00-WRX | Two-way full range loudspeaker (Weather Protection Treatment) | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,972.00 |
| AM5212/26 | Two-way full range loudspeaker | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL | 1,596.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|---------------|---|---|-----------------|
| AM5215/95-WRC | Two-way full range loudspeaker (Weather Protection Treatment) | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL | 2,741.00 |
| AM5215/95-WRX | Two-way full range loudspeaker (Extreme Weather Protection) | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL | 3,245.00 |
| AM7200/64 | 2-WAY MID-HIGH LOUDSPEAKER SYSTEM | High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid | 2,646.00 |
| AM7200/64-WH | 2-WAY MID-HIGH LOUDSPEAKER SYSTEM | High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid | 2,646.00 |
| AM7200/64-WRC | 2-WAY MID-HIGH LOUDSPEAKER SYSTEM | With Weather Protection Treatment. Refer to WEATHER RESISTANT | 3,717.00 |
| AM7200/64-WRX | 2-WAY MID-HIGH LOUDSPEAKER SYSTEM | With Weather Protection Treatment. Refer to WEATHER RESISTANT | 4,221.00 |
| AM7200/95 | 2-WAY MID-HIGH LOUDSPEAKER SYSTEM | High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid | 2,646.00 |
| AM7200/95-WH | 2-WAY MID-HIGH LOUDSPEAKER SYSTEM | High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid | 2,646.00 |
| AM7200/95-WRC | 2-WAY MID-HIGH LOUDSPEAKER SYSTEM | With Weather Protection Treatment. Refer to WEATHER RESISTANT | 3,717.00 |
| AM7200/95-WRX | 2-WAY MID-HIGH LOUDSPEAKER SYSTEM | With Weather Protection Treatment. Refer to WEATHER RESISTANT | 4,221.00 |
| AM7212/00 | S/M, AM7212/00 | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,399.00 |
| AM7212/00-WH | S/M, AM7212/00 WH | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,399.00 |
| AM7212/00-WRC | Two-way full range loudspeaker (Weather Protection Treatment) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 3,318.00 |
| AM7212/00-WRX | Two-way full range loudspeaker (Extreme Weather Protection) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 3,791.00 |
| AM7212/26 | Two-way full range loudspeaker | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,399.00 |
| AM7212/26-WH | Two-way full range loudspeaker (white) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,399.00 |
| AM7212/26-WRC | Two-way full range loudspeaker (Weather Protection Treatment) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 3,318.00 |
| AM7212/26-WRX | Two-way full range loudspeaker (Extreme Weather Protection) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 3,791.00 |
| AM7212/64 | Two-way full range loudspeaker | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,399.00 |
| AM7212/64-WH | Two-way full range loudspeaker (white) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,399.00 |
| AM7212/64-WRC | Two-way full range loudspeaker (Weather Protection Treatment) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 3,318.00 |
| AM7212/64-WRX | Two-way full range loudspeaker (Extreme Weather Protection) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 3,791.00 |
| AM7212/66 | Two-way full range loudspeaker | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,399.00 |
| AM7212/66-WH | Two-way full range loudspeaker (white) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,399.00 |
| AM7212/66-WRC | Two-way full range loudspeaker (Weather Protection Treatment) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 3,318.00 |
| AM7212/66-WRX | Two-way full range loudspeaker (Extreme Weather Protection) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 3,791.00 |
| AM7212/95 | Two-way full range loudspeaker | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,399.00 |
| AM7212/95-WH | Two-way full range loudspeaker (white) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 2,399.00 |
| AM7212/95-WRC | Two-way full range loudspeaker (Weather Protection Treatment) | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 3,318.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|---------------|---|--|-----------------|
| AM7212/95-WRX | Two-way full range loudspeaker (Extreme Weather Protection | High Power 12" 2-Way Full-Range Loudspeaker System with JBL | 3,791.00 |
| AM7215/26 | Two-way full range loudspeaker | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 2,520.00 |
| AM7215/26-WH | Two-way full range loudspeaker (white) | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 2,520.00 |
| AM7215/26-WRC | Two-way full range loudspeaker (Weather Protection Treatment) | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 3,591.00 |
| AM7215/26-WRX | Two-way full range loudspeaker (Extreme Weather Protection | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 4,095.00 |
| AM7215/64 | Two-way full range loudspeaker | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 2,520.00 |
| AM7215/64-WH | Two-way full range loudspeaker (white) | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 2,520.00 |
| AM7215/64-WRC | Two-way full range loudspeaker (Weather Protection Treatment) | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 3,591.00 |
| AM7215/64-WRX | Two-way full range loudspeaker (Extreme Weather Protection | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 4,095.00 |
| AM7215/66 | Two-way full range loudspeaker | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 2,520.00 |
| AM7215/66-WH | Two-way full range loudspeaker (white) | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 2,520.00 |
| AM7215/66-WRC | Two-way full range loudspeaker (Weather Protection Treatment) | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 3,591.00 |
| AM7215/66-WRX | Two-way full range loudspeaker (Extreme Weather Protection | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 4,095.00 |
| AM7215/95 | Two-way full range loudspeaker | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 2,520.00 |
| AM7215/95-WH | Two-way full range loudspeaker (white) | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 2,520.00 |
| AM7215/95-WRC | Two-way full range loudspeaker (Weather Protection Treatment) | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 3,591.00 |
| AM7215/95-WRX | Two-way full range loudspeaker (Extreme Weather Protection | High Power 15" 2-Way Full-Range Loudspeaker System with JBL | 4,095.00 |
| AM7315/64 | 3-WAY FULL-RANGE LOUDSPEAKER SYS | High Power 3-Way Full-Range Loudspeaker System with JBL Differential | 3,581.00 |
| AM7315/64-WH | 3-WAY FULL-RANGE LOUDSPEAKER SYS | High Power 3-Way Full-Range Loudspeaker System with JBL Differential | 3,581.00 |
| AM7315/64-WRC | 3-WAY FULL-RANGE LOUDSPEAKER SYS | With Weather Protection Treatment. Refer to WEATHER RESISTANT | 4,652.00 |
| AM7315/64-WRX | 3-WAY FULL-RANGE LOUDSPEAKER SYS | With Extreme Weather Protection Treatment. Refer to WEATHER | 5,159.00 |
| AM7315/95 | 3-WAY FULL-RANGE LOAUDSPEAKER SYSTEM | High Power 3-Way Full-Range Loudspeaker System with JBL Differential | 3,581.00 |
| AM7315/95-WH | 3-WAY FULL-RANGE LOUDSPEAKER SYS | High Power 3-Way Full-Range Loudspeaker System with JBL Differential | 3,581.00 |
| AM7315/95-WRC | 2-WAY FULL-RANGE LOAUDSPEAKER SYSTEM | With Weather Protection Treatment. Refer to WEATHER RESISTANT | 4,652.00 |
| AM7315/95-WRX | 2-WAY FULL-RANGE LOAUDSPEAKER SYSTEM | With Extreme Weather Protection Treatment. Refer to WEATHER | 5,159.00 |
| ASB4128 | DUAL 18" SUBWOOFER | Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, | 2,394.00 |
| ASB4128-WH | DUAL 18" SUBWOOFER (white) | Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, | 2,394.00 |
| ASB4128-WRC | DUAL 18" SUBWOOFER (Extreme Weather Protection Treatment) | Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, | 3,287.00 |
| ASB4128-WRX | DUAL 18" SUBWOOFER (Weather Protection Treatment) | Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, | 4,137.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|--------------|---|---|-----------------|
| ASB6112 | SINGLE 12 SUBWOOFER | Ultra Compact High-Power 12" Subwoofer System. 2263H Differential | 1,365.00 |
| ASB6112-WH | SINGLE 12 SUBWOOFER (white) | Ultra Compact High-Power 12" Subwoofer System. 2263H Differential | 1,365.00 |
| ASB6112-WRC | SINGLE 12 SUBWOOFER (Weather Protection Treatment) | Ultra Compact High-Power 12" Subwoofer System. 2263H Differential | 2,310.00 |
| ASB6112-WRX | SINGLE 12 SUBWOOFER (Extreme Weather Protection Treatment) | Ultra Compact High-Power 12" Subwoofer System. 2263H Differential | 2,814.00 |
| ASB6115 | SINGLE 15 SUBWOOFER | Compact High-Power 15" Subwoofer System. 2265H-1 Differential | 1,544.00 |
| ASB6115-WH | SINGLE 15 SUBWOOFER (white) | Compact High-Power 15" Subwoofer System. 2265H-1 Differential | 1,544.00 |
| ASB6115-WRC | SINGLE 15 SUBWOOFER (Weather Protection Treatment) | Compact High-Power 15" Subwoofer System. 2265H-1 Differential | 2,426.00 |
| ASB6115-WRX | SINGLE 15 SUBWOOFER (Extreme Weather Protection Treatment) | Compact High-Power 15" Subwoofer System. 2265H-1 Differential | 3,087.00 |
| ASB6118 | SINGLE 18" SUBWOOFER | High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. | 1,990.00 |
| ASB6118-WH | SINGLE 18" SUBWOOFER (white) | High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. | 1,990.00 |
| ASB6118-WRC | SINGLE 18" SUBWOOFER (Weather Protection Treatment) | High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. With | 2,709.00 |
| ASB6118-WRX | SINGLE 18" SUBWOOFER (Extreme Weather Protection Treatment) | High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. With | 3,339.00 |
| ASB6125 | DUAL 15" SUBWOOFER | Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® | 2,426.00 |
| ASB6125-WH | DUAL 15" SUBWOOFER (white) | Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® | 2,426.00 |
| ASB6125-WRC | DUAL 15" SUBWOOFER (Weather Protection Treatment) | Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® | 3,833.00 |
| ASB6125-WRX | DUAL 15" SUBWOOFER (Extreme Weather Protection Finish) | Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® | 4,578.00 |
| ASB6128 | DUAL 18" SUBWOOFER | High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, | 3,134.00 |
| ASB6128V | DUAL 18" SUBWOOFER, V-STYLE | Extended Response, High Power Dual 18" Subwoofer. 2 x 18" 2258H | 3,428.00 |
| ASB6128V-WH | DUAL 18" SUBWOOFER, V-STYLE (white) | Extended Response, High Power Dual 18" Subwoofer. 2 x 18" 2258H | 3,428.00 |
| ASB6128-WH | DUAL 18" SUBWOOFER (white) | High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, | 3,134.00 |
| ASB6128-WRC | DUAL 18" SUBWOOFER (Weather Protection Treatment) | High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, | 4,410.00 |
| ASB6128-WRX | DUAL 18" SUBWOOFER (Extreme Weather Protection Treatment) | High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, | 4,736.00 |
| ASB7118 | SINGLE 18" SUBWOOFER | Ultra High-Power 18" Subwoofer System. . 2269H | 2,977.00 |
| ASB7118-WH | SINGLE 18" SUBWOOFER (white) | Ultra High-Power 18" Subwoofer System. . 2269H | 2,977.00 |
| ASB7118-WRC | SINGLE 18" SUBWOOFER (Weather Protection Treatment) | Ultra High-Power 18" Subwoofer System. . 2269H | 4,337.00 |
| ASB7118-WRX | SINGLE 18" SUBWOOFER (Extreme Weather Protection Treatment) | Ultra High-Power 18" Subwoofer System. . 2269H | 5,061.00 |
| ASB7128 | DUAL 18" SUBWOOFER | Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential | 5,224.00 |
| ASB7128-WH | DUAL 18" SUBWOOFER (white) | Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential | 5,224.00 |
| ASB7128-WRC | DUAL 18" SUBWOOFER (Weather Protection Treatment) | Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential | 7,655.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|-----------------|---|--|-----------------|
| ASB7128-WRX | DUAL 18" SUBWOOFER (Extreme Weather Protection Treatment) | Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential | 8,747.00 |
| ASH6118 | SINGLE 18' HORNLOADED SUBWOOFER | Horn Loaded Subwoofer, Maximum Low Frequency Output & Sensitivity. | 3,276.00 |
| AW266 | High Output 12" 2-way Full-Range Loudspeaker-GRAY | High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-GRAY | 3,318.00 |
| AW266-BK | High Output 12" 2-way Full-Range Loudspeaker-BLACK | High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-BLACK | 3,318.00 |
| AW295 | High Output 12" 2-way Full-Range Loudspeaker-GRAY | High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-GRAY | 3,318.00 |
| AW295-BK | High Output 12" 2-way Full-Range Loudspeaker-BLACK | High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-BLACK | 3,318.00 |
| AW526 | High Output 15" 2-way Full-Range Loudspeaker-GRAY | High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-GRAY | 3,591.00 |
| AW526-BK | High Output 15" 2-way Full-Range Loudspeaker-BLACK | High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-BLACK | 3,591.00 |
| AW566 | High Output 15" 2-way Full-Range Loudspeaker-GRAY | High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-GRAY | 3,591.00 |
| AW566-BK | High Output 15" 2-way Full-Range Loudspeaker-BLACK | High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-BLACK | 3,591.00 |
| AW595 | High Output 15" 2-way Full-Range Loudspeaker-GRAY | High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-GRAY | 3,591.00 |
| AW595-BK | High Output 15" 2-way Full-Range Loudspeaker-BLACK | High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-BLACK | 3,591.00 |
| AWC129 | All-Weather Co-ax, 12" 2-way, Light Gray | 12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° | 945.00 |
| AWC129-BK | All-Weather Co-ax, 12" 2-way, Black | 12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° | 945.00 |
| AWC82 | All-Weather Co-ax, 8" 2-way, Light Gray | 8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° | 505.00 |
| AWC82-BK | All-Weather Co-ax, 8" 2-way, Black | 8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° | 505.00 |
| C1PRO | CONTROL 1PRO | Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome | 106.00 |
| C1PRO-WH | CONTROL 1PRO WHITE | Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome | 106.00 |
| C24CT MICROPLUS | CONTROL MICRO W/25 WATT TRANSFORMER | Medium Output Ceiling Speaker Assembly. Complete Assembly Includes | 132.00 |
| C24CT-BK | CONTROL 24CT WITH TRANSFORMER BLACK | Control 24CT in Black. 4" two-way vented ceiling speaker, 80 Hz – 20 | 146.00 |
| C25AV-LS | UL Life Safety Version of C25AV | Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly | 244.00 |
| C25AV-LS-WH | UL Life Safety Version of C25AV, in White | Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly | 244.00 |
| C26CT-LS | 6.5" CEILING SPKR W/X-FRMR(2PR Per CTN) | Professional Ceiling Speaker for Life-Safety Applications. | 212.00 |
| C29AV-1 | 8" 2-WAY MONITOR SPEAKER | High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W | 490.00 |
| C29AV-WH-1 | 8" 2-WAY MONITOR SPEAKER-WHITE | High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W | 490.00 |
| C2PM | CONTROL 2P MASTER POWERED SPEAKER | One Control 2P Powered Master speaker, (without passive extension | 200.00 |
| C2PS | CONTROL 2P 2-SPEAKER SYSTEM | Control 2P Stereo Set. Includes one C2PM powered master, one Passive | 260.00 |
| C50PACK | CONTROL 50 PK (1subwoofer + 4 Satellite) | Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc | 641.00 |
| C50PACK-WH | CONTROL 50 PK (1subwoofer + 4 Satellite) | Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc | 641.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|----------------|---|--|-----------------|
| C62P | Ultra-Compact Mid/High Pendant w 2" | Ultra-Compact Mid-High Satellite Pendant Speaker. 2" driver, ideal for | 105.00 |
| C62P-WH | Ultra-Compact Mid/High Pendant w 2" | Ultra-Compact Mid-High Satellite Pendant Speaker. 2" driver, ideal for | 105.00 |
| C65P/T | Compact Full-Range Pendant Spkr w 5-1/4" | Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & | 235.00 |
| C65P/T-WH | Compact Full-Range Pendant Spkr w 5-1/4" | Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & | 235.00 |
| C67HC/T | Narrow-Coverage Pendant Spkr w 6-1/2" | Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 | 400.00 |
| C67HC/T-WH | Narrow-Coverage Pendant Spkr w 6-1/2" | Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 | 400.00 |
| C67P/T | Extended-Bass Pendant Spkr w 6-1/2" | Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF | 340.00 |
| C67P/T-WH | Extended-Bass Pendant Spkr w 6-1/2" | Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF | 340.00 |
| CBT 100LA-1 | Line array column, 100 cm tall, 16 2" | Straight Line Array Column with 16 x 2" Drivers and Constant | 920.00 |
| CBT 100LA-1-WH | Line array column, 100 cm tall, 16 2" | Straight Line Array Column with 16 x 2" Drivers and Constant | 920.00 |
| CBT 200LA-1 | 2 METER TALL, 32 ELEMENT LINE ARRAY | 200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column | 2,150.00 |
| CBT 200LA-1-WH | 2 METER TALL, 32 ELEMENT LINE ARRAY | 200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column | 2,150.00 |
| CBT 50LA-1 | Compact line array column, 100 cm tall, 16 2" | 50 cm Straight Line Array Column with 8 x 2" Drivers and Constant | 505.00 |
| CBT 50LA-1-WH | Compact line array column, 100 cm tall, 16 2" | 50 cm Straight Line Array Column with 8 x 2" Drivers and Constant | 505.00 |
| CBT 70J-1 | High-Power J-shaped line array column | 70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and | 1,296.67 |
| CBT 70J-1-WH | High-Power J-shaped line array column | 70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and | 1,296.67 |
| CBT 70JE-1 | S/M, CBT 70JE | 70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W | 735.00 |
| CBT 70JE-1-WH | S/M, CBT 70JE | 70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W | 735.00 |
| CONTROL 126W | 6.5"2-way inwall SPKR 2per ctn | Premium In-Wall Two-Way Loudspeaker with 6-1/2" (165 mm) Woofer. | 200.00 |
| CONTROL 126WT | 6.5"2-way inwall SPKR 2per ctn | Control 126W With Transformer for Use on a 70.7V or 100V Distributed | 221.00 |
| CONTROL 128W | 8"2-way inwall spkr 2per ctn. | Premium Quality In-Wall Two-Way Loudspeaker with 8" (200 mm) | 246.00 |
| CONTROL 128WT | 8"2-way inwall spkr 2per ctn. | Control 128W With Transformer for Use on a 70.7V or 100V Distributed | 271.00 |
| CONTROL 19CS | 8" CEILING SUBWOOFER (2 PER CARTON) | 8" In-Ceiling Subwoofer, Nested Chamber™ Design, Linear Aperture™ | 264.00 |
| CONTROL 19CST | 8" CEILING SUB W/X-FORMER (2 PER CARTON) | Control 19CS with Subwoofer Based Transformer. For use on a 70.7V or | 286.00 |
| CONTROL 226C/T | 6" CEILING SPKR W BACK CAN 2PER CTN | 6.5" Coax Ceiling Loudspeaker. True-Broadband 120° Coverage. 150 | 368.00 |
| CONTROL 227C | 6" CEILING SPEAKER ON A BAFFLE | 6.5" Coax Ceiling Loudspeaker with Compression Driver. Broadband 120° | 293.00 |
| CONTROL 227CT | 6" CEILING SPEAKER ON A BAFFLE | Control 227C with Pre-Attached 60 Watt 70V/100V Multi-Tap | 334.00 |
| CONTROL 23 | 3.5" 2-WAY/HORN,BRKT INCL | 3.5" Two-Way Vented System, Invisiball® Installation System, 50W | 132.00 |
| CONTROL 23T | 3.5" 2-WAY TRANSFORMER | Control 23 with Transformer. For use on 70.7V and 100V Distributed | 145.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|--------------------|--|--|-----------------|
| CONTROL 23T-WH | 3.5" 2-WAY TRANSFORMER-WHITE | Control 23 with Transformer. For use on 70.7V and 100V Distributed | 145.00 |
| CONTROL 23-WH | 3.5" 2-WAY/HORN/BRKT,WHITE | 3.5" Two-Way Vented System, Invisiball® Installation System, 50W | 132.00 |
| CONTROL 24C | 4" COAX CEILING SPKR ASSY (2 PER CTN) | 4" Two-Way Vented Ceiling Speaker, 80Hz – 20kHz, 86dB Sensitivity, | 134.00 |
| CONTROL 24C MICRO | 4" COMPACT CEILING SPKR 8mstrpk | 4" Two-Way Ceiling Speaker, 15W Pink Noise, 30W Program Power | 87.00 |
| CONTROL 24CT | 4" CEILING SPKR W/X-FORMER (2 PER CTN) | Control 24C with Transformer. For use on a 70.7V or 100V Distributed | 146.00 |
| CONTROL 24CT MICRO | 4" COMPACT CEILING SPKR W/TRANS 8mstrpk | Control 24C Micro with Transformer. For use on a 70.7V or 100V | 92.00 |
| CONTROL 25 | 5.25" 2-WAY W/HORN, | 5.25" Two-Way Vented System, Built-In Invisiball® Installation System, | 173.00 |
| CONTROL 25AV | 5.25" 2-WAY W/HORN/AUDIO-VIDEO VERSION | Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly | 226.00 |
| CONTROL 25AV-WH | 5.25" 2-WAY W/HORN/AUDIO-VIDEO VERSION | Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly | 226.00 |
| CONTROL 25T | 5.25" 2-WAY TRANSFORMER | Control 25 with Transformer. For use on 70.7V and 100V Distributed | 195.00 |
| CONTROL 25T-WH | 5.25" 2-WAY TRANSFORMER-WHITE | Control 25 with Transformer. For use on 70.7V and 100V Distributed | 195.00 |
| CONTROL 25-WH | 5.25" 2-WAY, WHITE | 5.25" Two-Way Vented System, Built-In Invisiball® Installation System, | 173.00 |
| CONTROL 26C | 6.5" COAX CEILING SPEAKER (2 PER CARTON) | 6.5" Two-Way Vented Ceiling Speaker, 75Hz – 20kHz, 89dB Sensitivity, | 174.00 |
| CONTROL 26CT | 6.5"CEILING SPKR W/X-FRMR(2PR Per CTN) | Control 26C with Transformer. For use on a 70.7V or 100V Distributed | 196.00 |
| CONTROL 26-DT | CEILING SPKR-Xfrmr no Backcan 2ea Carton | 200 mm (8 inch) Ceiling Speaker Transducer Assembly. Driver, Crossover | 126.00 |
| CONTROL 28 | 8" 2-WAY W/HORN,BRKT | 8" Two-Way Vented System, Built-In Invisiball® Installation System, | 303.00 |
| CONTROL 28T-60 | 8" 2-WAY 60W TRANSFORMER | Control 28 with Transformer. For use on 70.7V and 100V Distributed | 317.00 |
| CONTROL 28T-60-WH | 8"2-WAY 60W TRANS WHITE | Control 28 with Transformer. For use on 70.7V and 100V Distributed | 317.00 |
| CONTROL 28-WH | 8" 2-WAY W/HORN,BRKT | 8" Two-Way Vented System, Built-In Invisiball® Installation System, | 303.00 |
| CONTROL 30 | 10" 3/WAY COMPACT WR W/TRANSFORMER | High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm | 858.00 |
| CONTROL 30-WH | 10" 3/WAY COMPACT WR W/TRANSFORMER | High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm | 858.00 |
| CONTROL 312CS | 12" CEILING SUBWOOFER | 12" In-Ceiling Subwoofer. 400 Watts, 30 Hz – 4.5 kHz Frequency | 559.00 |
| CONTROL 321C | 12" CEILING COAX | Premium 12" Coax Ceiling Loudspeaker. True-Broadband 90° Coverage. | 450.00 |
| CONTROL 321CT | C321C W/60W X-FORMER | Control 321C with pre-attached 60 Watt 70V/100V Multi-Tap | 496.00 |
| CONTROL 322C | HIGH OUTPUT 12' CEILING COAX | High-Power 12" Coax Ceiling Loudspeaker with Medium Format | 655.00 |
| CONTROL 322CT | C 322C W/100W X-FORMER | Control 322C with pre-attached 100 Watt 70V/100V Multi-Tap | 712.00 |
| CONTROL 328C | 8" CEILING COAX | 8" Coax Ceiling Speaker with 12" Waveguide. Broadband 120° Coverage. | 365.00 |
| CONTROL 328CT | 8" CEILING COAX W/60W X-FORMER | Control 328C with pre-attached 60 Watt 70V/100V Multi-Tap | 411.00 |
| CONTROL 40CS/T | PREMIUM IN-CEILING SUBWOOFER | Direct-Radiating In-Ceiling Subwoofer with 8" driver, built-in crossover | 389.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|-------------------|--|--|-----------------|
| CONTROL 42C | PREMIUM IN-CEILING SATELLITE | Ultra-Compact Satellite Speaker for use with Control 40CS/T of 50S/T | 84.00 |
| CONTROL 47C/T | PREMIUM IN-CEILING COAX w/6.5" | Wide-coverage, extended bass ceiling spkr feature RBI. 6.5" two-way, | 278.00 |
| CONTROL 47HC | PREMIUM HIGH-CEILING COAX w/ 6.5" | High-ceiling, narrow-coverage version of C47 featuring RBI technology. | 336.00 |
| CONTROL 47LP | PREMIUM LOW-FROFILE CEILING | Low-Profile version of C47D/T featuring RBI technology. Specs same as | 239.00 |
| CONTROL 5 | PERS CONTROL MONITOR-BL (2/BX) | Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome | 218.00 |
| CONTROL 50S/T | CONTROL 50CS/T SUBWOOFER (1pc per ctn) | Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) | 394.00 |
| CONTROL 50S/T-WH | CONTROL 50CS/T SUBWOOFER WHITE | Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) | 394.00 |
| CONTROL 52 | CONTROL 52C SATELLITE | Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with | 70.00 |
| CONTROL 52-WH | CONTROL 52C SATELLITE | Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with | 70.00 |
| CONTROL 5-WH | PERS CONTROL MONITOR-WH 2/BX | Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome | 218.00 |
| CONTROL SB-2 | 10" SUBWOOFER SYSTEM | Slot-Loaded Vented Bandpass Subwoofer, Stereo, with Dual Voice-Coil | 391.00 |
| CONTROL SB-210 | COMPACT 2-10" SUBWOOFER | Compact, Low Profile, High Power Subwoofer with 2 x 260mm (10 In) | 713.00 |
| CONTROL SB-210-WH | COMPACT 2-10" SUBWOOFER, WHITE | Compact, Low Profile, High Power Subwoofer with 2 x 260mm (10 In) | 713.00 |
| CONTROLCRV | CONTROL CRV | Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, | 261.00 |
| CONTROLCRV-WH | CONTROL CRV WHITE | Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, | 261.00 |
| CSS-1S/T | 2-way Surface-Mount Speaker with 8-ohm.. | Compact 2-Way 100V/70V/8Ω Surface-Mount Loudspeaker. 5¼" LF and | 130.00 |
| CSS8004 | S/M, CSS8004 - 4", 5W | 4" Commercial Series Ceiling Speaker. 90 dB sens, 5W multi-tap for | 19.00 |
| CSS8008 | S/M, CSS8008 8", 5w | 8" Commercial Series Ceiling Speaker. 96 dB sens, 5W multi-tap for | 25.00 |
| CSS8018 | S/M, CSS8018 8", 10W | 8" Commercial Series Ceiling Speaker. Very high 97 dB sens, 10W multi- | 34.00 |
| CSS-BB4X6 | S/M, CSS-BB4X6-- 4" BACKCAN (1=6 PCS) | Pack of 6 pcs of 4" backcans for CSS8004. Steel, zinc-plated, powder- | 52.00 |
| CSS-BB8X6 | CSS-BB8X6 8" BACKCAN (1 = 6 PCS) | Pack of 6 pcs of 8" backcans for CSS8008 or CSS8018. Steel, zinc-plated, | 94.00 |
| CSS-TR4/8X12 | TILE RAILS for 8"&4" (1EA=12ea/Single ctn) | Pack of 12 pcs tile rails for CSS-BB4 and CSS-BB8 backcans. Steel, zinc- | 28.00 |
| CWT128 | 2-WAY FULL-RANGE CROSSFIRE WAVEGUIDE | Crossfired Waveguide Technology. Extremely wide coverage dual 8", | 2,300.00 |
| CWT128-WH | 2-WAY FULL-RANGE CROSSFIRE WAVEGUIDE - WHITE | Crossfired Waveguide Technology. Extremely wide coverage dual 8", | 2,300.00 |
| CWT128-WRC | With Weather Protection treatment | With Weather Protection Treatment. Refer to WEATHER RESISTANT | 2,900.00 |
| CWT128-WRX | With Extreme Weather Protection treatment | With Extreme Weather Protection treatment. Refer to WEATHER | 3,400.00 |
| DPDA-VP7212/64 | S/M, DPDA-VP7212/64 | DPDA input module only, programmed for use in a VP7212/64 | 1,208.00 |
| DPDA-VP7212/95 | S/M, DPDA-VP7212/95 | DPDA input module only, programmed for use in a VP7212/95 | 1,208.00 |
| DPDA-VP7215/64 | S/M, DPDA-VP7215/64 | DPDA input module only, programmed for use in a VP7215/64 | 1,208.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|----------------|---|--|-----------------|
| DPDA-VP7215/95 | S/M, DPDA-VP7215/95 | DPDA input module only, programmed for use in a VP7215/95 | 1,208.00 |
| DPDA-VP7315/64 | S/M, DPDA-VP7315/64 | DPDA input module only, programmed for use in a VP7312/64 | 1,208.00 |
| DPDA-VPSB7118 | S/M, DPDA-VPSB7118 | DPDA input module only, programmed for use in a VPSB7118 | 1,208.00 |
| DPDA-VT4880A | DPDA INPUT MODULE UPGRADE KIT | DPDA input module only, programmed to convert a VT4881ADP, -AN or - | 1,208.00 |
| DPDA-VT4881A | DPDA INPUT MODULE UPGRADE KIT | DPDA input module only, programmed to convert a VT4880ADP, -AN or - | 1,208.00 |
| DPDA-VT4882 | DPDA INPUT MODULE UPGRADE KIT | DPDA input module only, programmed to convert a VT4882DP, -AN or -C | 1,208.00 |
| DPDA-VT4887A | DPDA INPUT MODULE UPGRADE KIT | DPDA input module only, programmed to convert a VT4887ADP, -AN or - | 1,208.00 |
| DPDA-VT4888 | DPDA INPUT MODULE UPGRADE KIT | DPDA input module only, programmed to convert a VT4888DP, -AN or -C | 1,208.00 |
| DPDA-VT4889A | DPDA INPUT MODULE UPGRADE KIT | DPDA input module only, programmed to convert a VT4889ADP, -AN or - | 1,208.00 |
| EON305 | 15" 2-WAY PASSIVE PORTABLE SPEAKER | 15" two-way passive portable speaker system, 15" low-frequency | 479.00 |
| EON315 | 15" W-WAY POWERED PORTABLE SPEAKER | 280 Watt 15" portable powered speaker system, bi-amplified, 220 watt | 679.00 |
| EON510 | 10" 2-way POWERED PORTABLE SPKR W/MIXER | Ultra compact 280 Watt Powered 10" portable speaker system, bi- | 779.00 |
| EON515XT | 15" 2-way Bass Reflex Powered Loudspeaker | 15" 2-way Bass Reflex Powered Loudspeaker, 380mm (15 inch) Differentia | 899.00 |
| EON518S | 18" RADIALING PWRD SUB WOOFER | Compact and lightweight 500 Watt Powered 18" portable subwoofer, | 1,129.00 |
| FBB8PRO | ENCLOSURE FOR 8in INWALL SPEAKER | In-Wall Fire-Rated Metal Backcan for Control 128W and 128WT In-Wall | 100.00 |
| JRX112M | S/M, JRX112M | 12" two-way portable stage monitor or front of house speaker system | 409.00 |
| JRX112MI | S/M, JRX112MI | 12", two-way stage monitor or front of house speaker system designed | 469.00 |
| JRX115 | S/M, JRX115 | 15" two-way portable speaker system includes a 15" woofer; a 1" | 419.00 |
| JRX115I | S/M, JRX115I | 15", two-way speaker system designed for installation applications. | 489.00 |
| JRX118S | S/M, JRX118S | 18" portable subwoofer system with cast frame, 3" voice-coil woofer; | 669.00 |
| JRX118SP | S/M, JRX118SP | Powered 18" portable subwoofer system includes a built-in amplifier | 1,099.00 |
| JRX125 | S/M, JRX125 | Dual 15" two-way portable speaker system includes two 15" woofers; a | 609.00 |
| JRX212 | 12" Two-Way Stage Monitor Speaker | 12" two-way stage monitor or front of house passive speaker system; | 312.00 |
| JRX215 | 15" Two-Way Front of House Passive Speaker | 15" two-way front of house passive speaker system; 1000 Watt peak | 374.00 |
| JRX218S | 18" Passive Compact Subwoofer | 18" passive compact subwoofer; 1400 Watt peak power handling, 127dB | 624.00 |
| JRX225 | Dual 15" Two-Way Front of House Passive Speaker | Dual 15" two-way front of house passive speaker system; 2000 Watt | 562.00 |
| LSR2310SP | S/M, LSR2310SP | Powered Subwoofer with Magnetically-Shielded 230H 10" Woofer and | 499.00 |
| LSR2325P | S/M, LSR2325P | Bi-amplified Studio Monitor with Magnetically-Shielded 235G 8" Low | 249.00 |
| LSR2328P | S/M, LSR2328P | Bi-amplified Studio Monitor with Magnetically-Shielded 238G 8" Low | 439.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|--------------|--|---|-----------------|
| LSR25PTOTE | SOFT CASE FOR PAIR OF LSR25P/WHEELS | Soft Carry Case, With Wheels, Holds a Pair of LSR6325P or LSR25P. | 200.00 |
| LSR4300KIT | LSR ACCESSORY KIT | For Use with JBL LSR4328P, LSR4326P. Includes LSR4300 Measurement | 275.00 |
| LSR4312SP | S/M LSR4312SP | Active Subwoofer amplified Monitor with DSP-Enabled RMC™ Room | 1,230.00 |
| LSR4326P | S/M, LSR4326P | Same as LSR4328P Except: Incorporates 436H 6" Polymer Coated Fiber | 665.00 |
| LSR4326P/PAK | Pair Spkrs incl ACC kit | LSR4326P (x2) and LSR4300 Accessory Kit (x1). | 1,330.00 |
| LSR4326P5.1 | 5.1 Surround Sound System | 5.1 Surround System Including Five LSR4326P, One LSR4312SP | 4,322.70 |
| LSR4328P | S/M, LSR4328P | Bi-amplified Monitor with JBL DSP-Enabled RMC™ Room Mode | 955.00 |
| LSR4328P/PAK | Pair Spkrs incl ACC kit | LSR4328P (x2) and LSR4300 Accessory Kit (x1). | 1,910.00 |
| LSR4328P5.1 | 5.1 Surround Sound System | 5.1 Surround System Including Five LSR4328P, One LSR4312SP | 5,698.75 |
| LSR6312SP | S/M, LSR6312SP | Active Subwoofer with new JBL RMC™ Room Mode Correction EQ circuit. | 2,080.00 |
| LSR6325P/5.1 | LSR6325P-1 5pcs & 1pc LSR6312SP | 5.1 Surround System with RMC Room Mode Correction and RMC | 4,726.02 |
| LSR6325P-1 | 5.25" BI-AMPLIFIED MONITOR | Compact Bi-Amped Two-Way Near Field, 5.25" Low Frequency | 580.00 |
| LSR6328P | S/M, LSR6328P | Bi-Amplified Monitor with New JBL RMC™ Room Mode Correction EQ | 1,850.00 |
| LSR6328P/5.1 | LSR6328P 5pcs & 1pc LSR6312SP | 5.1 Surround System with RMC Room Mode Correction and RMC | 10,752.17 |
| LSR6328P/PAK | LSR6328P/PAKs & 1pc RMC Calibration kit | LSR6328P (x2) and an RMC Calibration Kit | 3,700.00 |
| LSR6332L | TOP ASSEMBLY, LEFT SIDE, LSR6332L | Three-Way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium | 1,910.00 |
| LSR6332R | TOP ASSY, RIGHT SIDE (MIRRORED) | Three-way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium | 1,910.00 |
| MD1 | Ultra High Frequency Loudspeaker | Ultra High Frequency Loudspeaker | 795.00 |
| MD2 | High Output Mid-High Loudspeaker | High Output Mid-High 90° x 50° Loudspeaker | 3,995.00 |
| MD3L | High Output Low-Frequency Loudspeaker | High Output Low-Frequency Loudspeaker | 5,095.00 |
| MD3R | High Output Low-Frequency Loudspeaker | High Output Low-Frequency Loudspeaker | 5,095.00 |
| MD46 | High Output 4-Way 15" Full-Range Loudspeaker | High Output 4-Way 15" Full-Range 60° x 40° Loudspeaker | 5,795.00 |
| MD49 | High Output 4-Way 15" Full-Range Loudspeaker | High Output 4-Way 15" Full-Range 90° x 50° Loudspeaker | 5,795.00 |
| MD52 | Medium Output 12" 2-Way Full-Range Loudspeaker | Medium Output 12" 2-Way Full-Range 90° x 50° Loudspeaker | 1,695.00 |
| MD55 | Medium Output 15" 2-Way Full-Range Loudspeaker | Medium Output 15" 2-Way Full-Range 90° x 50° Loudspeaker | 1,795.00 |
| MD7 | High Output Dual 18" Subwoofer | High Output Dual 18" Subwoofer | 5,895.00 |
| MDSB-1 | Marquis Dance Club Series Stacking Bracket | Marquis Dance Club Series Stacking Bracket | 1,800.00 |
| MSC1 | MONITOR SYSTEM CONTROLLER | The MSC1 Monitor System Controller works with any speaker system | 375.00 |
| MTC-126RIF | Rough in Kit for C126W/WT ,6 sets Mstr CTN | Rough-In Frame for Installing Control 126W to Studs in New | 27.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|----------------|---|---|-----------------|
| MTC-128RIF | Rough in Kit for C128W/WT - per set. ,6per Mstr CTN | Rough-In Frame for Installing Control 128W to Studs in New | 27.00 |
| MTC-19MR | MUD RING BRACKET, C19C/19CT (EA=6) | Optional Mud (Plaster) Ring Construction Bracket for Control 19CS, | 212.00 |
| MTC-19NC | NEW CONSTRUCTION BRKT,C19C/19CT (EA=6) | Optional New Construction Bracket for Control 19CS, Control 19CST, | 154.00 |
| MTC-200BB6 | BACKBOX FOR 6" C200 | Backcan for Control 227C & CT. Round with extra-thick 16-gauge steel | 67.00 |
| MTC-210UB | MOUNTING BRACKET, FOR CONTROL SB-210 | U-Bracket for Control SB-210 Subwoofer, Black. | 95.00 |
| MTC-210UB-WH | MOUNTING BRACKET, FOR CONTROL SB-210 | U-Bracket for Control SB-210 Subwoofer, White | 95.00 |
| MTC-23CM | CEILING MT. ADPT C/23-1PR PER BOX | Ceiling-Mount Adapter for Control 23, Black. Each Pack Contains 2 | 15.00 |
| MTC-23CM-WH | CEILING MT. ADPT C/23-1PR PER BOX-WHITE | Ceiling-Mount Adapter for Control 23, White. Each Pack Contains 2 | 15.00 |
| MTC-23SSG | C23--STAINLESS STEEL GRILLE | Stainless Steel Replacement Grille for Control 23 Models, Silver. | 15.00 |
| MTC-23SSG-BK | C23-STAINLESS STEEL GRILLE-BLK | Stainless Steel Replacement Grille for Control 23 Models, Black | 15.00 |
| MTC-23SSG-WH | C23-STAINLESS STEEL GRILLE-WHITE | Stainless Steel Replacement Grille for Control 23 Models, White | 15.00 |
| MTC-23V | VERTICAL ARRAYING BRACKET C23 (HOLDS 3) | Vertical-Array Wall Bracket for Three Control 23 Speakers. | 89.00 |
| MTC-23WMG | WEATHER MAX GRILLE-CONTROL 23 | WeatherMax™ Replacement Grille for Control 23 Models. Stainless Steel | 30.00 |
| MTC-23WMG-WH | WHITE WEATHER MAX GRILLE-CONTROL 23 | WeatherMax™ Replacement Grille for Control 23 Models. Stainless Steel | 30.00 |
| MTC-24MR | MUDRING BRKT, C24C/24CT (EA=6) | Optional Mud (Plaster) Ring Construction Bracket for Control 24C, 24CT, | 126.00 |
| MTC-24NC | NEWCNSTRCTN BRKT,C24C/CT(EA=6) | Optional New Construction Bracket for Control 24C, 24CT, 24C Micro, | 99.00 |
| MTC-24TR | TRIMRING/RETROFIT C24 (1=10PCS) | Trim Ring for Retrofit Installations of Control 24 into Cutouts Up to | 152.00 |
| MTC-25/23H | HORIZ ARRAY BRKT C25/C23, 3/360 DEGREES | Horizontal-Array Bracket for Two Control 23s or Control 25s, 60° Splay, | 87.00 |
| MTC-25SSG | C25--STAINLESS STEEL GRILLE | Stainless Steel Replacement Grille for Control 25 Models, Silver. | 21.00 |
| MTC-25SSG-BK | C25-STAINLESS STEEL GRILLE-BLK | Stainless Steel Replacement Grille for Control 25 Models, Black | 21.00 |
| MTC-25SSG-WH | C25-STAINLESS STEEL GRILLE-WHITE | Stainless Steel Replacement Grille for Control 25 Models, White | 21.00 |
| MTC-25V | VERTICAL ARRAYING BRACKET C25 (HOLDS 3) | Vertical-Array Wall Bracket for Three Control 25 Speakers. | 90.00 |
| MTC-25WMG | WEATHER MAX GRILLE-C25T /C25AV | WeatherMax™ Replacement Grille for Control 25 Models. Stainless Steel | 38.00 |
| MTC-25WMG-WH | WHITE WEATHER MAX GRILLE-C25T & C25AV | WeatherMax™ Replacement Grille for Control 25 Models. Stainless Steel | 38.00 |
| MTC-26MR | MUDRING BRKT, C26C/26CT (EA=6) | Optional Mud (Plaster) Ring Construction Bracket for Control 26C and | 154.00 |
| MTC-26NC | NEW CONSTRUCTION BRKT,C26C/26CT (EA=6) | Optional New Construction Bracket for Control 26C and Control 26CT, | 114.00 |
| MTC-26TR | TRIMRING/RETROFIT C26 (1=10PCS) | Trim Ring for Retrofit Installations of Control 26 into Cutouts Up to | 152.00 |
| MTC-28/25CM | CEILING MT. ADPT C/28/C25-1PR PER BOX | Ceiling-Mount Adapter for Control 28 and Control 25, Black. Each Pack | 27.00 |
| MTC-28/25CM-WH | CEILING MT. ADPT C28/C25-1PR PER BOX-WHT | Ceiling-Mount Adapter for Control 28 and Control 25, White. Each Pack | 27.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|--------------|---|--|-----------------|
| MTC-28H | HORIZ ARRAY BRKT C28, 3 FOR 360 DEGREES | Horizontal-Array Bracket for Two Control 28s, 60° Splay, Three Brackets | 91.00 |
| MTC-28SSG | C28--STAINLESS STEEL GRILLE | Stainless Steel Replacement Grille for Control 28, Silver. | 37.00 |
| MTC-28SSG-BK | C28-STAINLESS STEEL GRILLE-BLK | Stainless Steel Replacement Grille for Control 28, Black | 37.00 |
| MTC-28SSG-WH | C28-STAINLESS STEEL GRILLE-WHITE | Stainless Steel Replacement Grille for Control 28, White. | 37.00 |
| MTC-28V | VERTICAL ARRAYING BRACKET C28 (HOLDS 3) | Vertical-Array Wall Bracket for Three Control 28 Speakers. | 97.00 |
| MTC-28WMG | WEATHER MAX GRILLE- C28 | WeatherMax™ Replacement Grille for Control 28 Models. Stainless Steel | 61.00 |
| MTC-28WMG-WH | WHITE WEATHER MAX GRILLE-C28 | WeatherMax™ Replacement Grille for Control 28 Models. Stainless Steel | 61.00 |
| MTC-29CM | CEILING MOUNT ADAPTER, FOR C29AV | Ceiling-Mount Adapter for Control 29AV, Black. Each Pack Contains 1 | 28.00 |
| MTC-29CM-WH | CEILING MT ADAPTER/C29AV-WH | Ceiling-Mount Adapter for Control 29AV, White. Each Pack Contains 1 | 28.00 |
| MTC-29UB | MOUNTING BRACKET, FOR CONTROL 29AV | U-Bracket for Control 29AV. | 81.00 |
| MTC-29UB-WH | MOUNTING BRACKET, FOR CONTROL 29AV | U-Bracket for Control 29AV, in White. | 81.00 |
| MTC-2P | MOUNTING KIT FOR C2PS | Wall-Mount Bracket Kit for Control 2P. Includes Two Wall Mounts, Not | 26.00 |
| MTC-300BB12 | BACKBOX FOR 12" C300 | Best-in-Class Three Cubic Foot Back Box for 12" Models. Rectangular | 245.00 |
| MTC-300BB8 | BACKBOX FOR 8" C300 | One Cubic Foot Back Box for 8" Models. Round with Extra-Thick 16 | 84.00 |
| MTC-300SG12 | SQUARE GRILLE FOR 12" C300 | Contemporary Square Grille for 12" Models. Fashionable Upscale Look, | 39.00 |
| MTC-300T150 | 150W TRANSFORMER C300 | 150 Watt Transformer for Higher Output from a 70V or 100V System. | 82.00 |
| MTC-30CM | CEILING MOUNT ADAPTER, FOR CONTROL 30 | Ceiling-Mount Adapter for Control 30, Black. Contains 1 Piece. | 35.00 |
| MTC-30CM-WH | CEILING MOUNT ADAPTER, FOR C30-WH | Ceiling-Mount Adapter for Control 30, White. Contains 1 Piece. | 35.00 |
| MTC-30MK-WH | GRILLE KIT TO PREVENT RUSTING | Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra | 144.00 |
| MTC-30UB | MOUNTING BRACKET, FOR CONTROL 30 | U-Bracket for Control 30, black. | 88.00 |
| MTC-30UB-WH | MOUNTING BRACKET, FOR CONTROL 30-WH | U-Bracket for Control 30, white. | 88.00 |
| MTC-42MR | MUD RING BRACKET FOR CONTROL 42C (1=6 pcs) | Mud-Ring Construction Brackets for C42C (each pack contains 6 pcs) | 138.00 |
| MTC-42NC | NEW CONSTRUCTION RING FOR C42 (1=6 pcs) | New Construction Ring Brackets for Control 42C (each pack contains 6 | 101.00 |
| MTC-47MR | MUD RING BRACKET FOR C47C/T & C47LP (1=6 pcs) | Mud-Ring construction Brackets for C47C/T & C47LP (each pack contains | 226.00 |
| MTC-47NC | NEW CONSTRUCTION RING C47C/T & 47LP (1=6pcs) | New construction Brackets for C47C/T & C47LP (each pack contains 6 | 161.00 |
| MTC-48TRx12 | 48" LONG TILE RAIL | Tile rails for using many of JBL's ceiling speaker in 1200 mm (48 in) ceiling | 250.00 |
| MTC-8124C | C - RING for 8124 | C-ring for 8124, for installations requiring C-ring to spread ceiling loading. | 14.00 |
| MTC-8128C | C-RING for 8128 | C-ring for 8128 (Priced as each, sold in packages of 4 pcs (for 4 speakers) | 16.00 |
| MTC-81BB8 | DEEP BACK CAN FOR 8138 (4 PCS PER CTN) | Pre-Install backcan for 8138, 7.4 liter, 7"H x 11-3/4" dia, 11-1/4" | 34.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|----------------|---|---|-----------------|
| MTC-81TB8 | TILE BRIDGE 8138 & 81BB8 (4PC PR CTN) | Tile Bridge for MTC-81BB8 backcan, 19 gauge steel with e-coating (priced | 18.00 |
| MTC-CBT-70T | BOLT ON TRANSFORMER MODULE | Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to | 120.00 |
| MTC-CBT-70T-WH | BOLT ON TRANSFORMER MODULE - WHITE | Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to | 120.00 |
| MTC-CBT-FM1 | CBT FLUSH-MOUNT WALL BRACKETS | "Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1 | 40.00 |
| MTC-CBT-FM1-WH | CBT FLUSH-MOUNT WALL BRACKETS | "Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1 | 40.00 |
| MTC-CBT-FM2 | CBT FLUSH-MOUNT WALL BRACKETS | "Flush-Mount" Wall Bracket for CBT70J-1 and 70J-1/JE-1 | 55.00 |
| MTC-CBT-FM2-WH | CBT FLUSH-MOUNT WALL BRACKETS | "Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1 | 55.00 |
| MTC-CBT-SMB1 | STAND MOUNT BRACKET FOR CBT | STAND MOUNT BRACKER FOR CBT | 59.00 |
| MTC-PC2 | SEALED PANEL Cover-CC (1=2 pcs) | Panel Cover Provides Liquid-Tight Sealed Entrance for Input Terminal, | 24.00 |
| MTC-PC60 | TERMINAL COVER for C65, C67 P/T & C67HCT | TERMINAL COVER for C65, C67 P/T & C67HCT | 13.00 |
| MTC-PC62 | TERMINAL COVER for C62P | TERMINAL COVER for C62P | 9.00 |
| MTC-RAIL | TILE RAIL FOR 8124 & 8128 | Tile rails for 8124, 8128 (requires MTC-8124C or MTC-8128C c-rings) or | 10.00 |
| MTC-RG6/8 | GRILLE FOR C328, C227 | *Previously MTC-300RG8*. Contemporary Round Grille for Control | 28.00 |
| MTC-SB210-SAT | CROSSOVER MODULE FOR SB210 | Adds Passive Crossover Network with High-Passed Output for Satellite | 146.00 |
| MTC-SB210T | 70V/100V TRANSFORMER MODULE FOR SB210 | Adds 70V/100V transformers for operating SB210 on distributed spkr | 163.00 |
| MTC-SB210T-SAT | X-OVER & X-FORMER MODULE, SB210 | Adds 70V/100V transformers for operating SB210 on distributed spkr | 230.00 |
| MTC-SB2C | CEILING SUSPENSION BRACKET FOR SB-2 | Bracket for Suspending Control SB-2 from a Ceiling. | 92.00 |
| MTC-SB2W | WALL/CORNER BRKT FOR SB-2 | Bracket for Installing Control SB-2 to Wall or Corner. | 126.00 |
| MTC-SG6/8 | SQUARE GRILLE FOR C328, C227 | Contemporary Square Grille for Control 200 & 300 Series 6.5" Medium- | 49.00 |
| MTC-TB6/8 | TILE-BRIDGE FOR MTC-200BB6 & MTC-300BB8 | Tile Bridge for Medium (C227C & C227CT) and Large (C328 & C328CT) | 24.00 |
| MTC-TCD | THICK-CEILING DOGEARS (1=24 pcs) | Thick-ceiling dogears for ceilings up to 60 mm (2.5 in) thick. Fits C24C/CT | 8.00 |
| MTU-1 | "U" BRACKET FOR AM7215/xx and AM5215/xx | U-Bracket For Models AM7215/xx and AM5215/xx. | 189.00 |
| MTU-15 | "U" BRACKET FOR AC15 | U-Bracket For Model AC15 | 68.00 |
| MTU-15-WH | "U" BRACKET FOR AC15 | U-Bracket For Model AC15. White finish. | 68.00 |
| MTU-16 | "U" BRACKET FOR AC16 | U-Bracket For Model AC16 | 89.00 |
| MTU-16-WH | "U" BRACKET FOR AC16 | U-Bracket For Model AC16. White finish | 89.00 |
| MTU-18 | "U" BRACKET FOR AC18 | U-Bracket For Models AC18/xx | 105.00 |
| MTU-18-WH | "U" BRACKET FOR AC18 | U-Bracket For Models AC18/xx. White finish | 105.00 |
| MTU-1-WH | "U" BRACKET FOR AM7215/xx and AM5215/xx (white) | U-Bracket For Models AM7215/xx and AM5215/xx. White finish. | 189.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|--------------|---|---|-----------------|
| MTU-2 | U-BRACKET FOR MODEL AC2215/xx | U-Bracket For Model AC2215/xx | 189.00 |
| MTU-25 | "U" BRACKET FOR AC25 | U-Bracket For Model AC25 | 84.00 |
| MTU-25-WH | "U" BRACKET FOR AC25 | U-Bracket For Model AC25. White finish | 84.00 |
| MTU-26 | "U" BRACKET FOR AC26 | U-Bracket For Model AC26 | 100.00 |
| MTU-26-WH | "U" BRACKET FOR AC26 | U-Bracket For Model AC26. White finish | 100.00 |
| MTU-28 | "U" BRACKET FOR AC28 | U-Bracket For Models AC28/xx | 131.00 |
| MTU-28-WH | "U" BRACKET FOR AC28 | U-Bracket For Models AC28/xx. White finish | 131.00 |
| MTU-2-WH | "U" BRACKET FOR AM7215/xx and AM5215/xx (white) | U-Bracket For Model AC2215/xx. White finish. | 189.00 |
| MTU-3 | AE SERIES 28-1/2" U-BRACKET | U-Bracket For Models AM7212/xx and AM5212/xx. | 194.00 |
| MTU-3-WH | AE SERIES 28-1/2" U-BRACKET (white) | U-Bracket For Models AM7212/xx and AM5212/xx. White finish. | 194.00 |
| MTU-4 | AE SERIES 22-1/4" U-BRACKET | U-Bracket For Model AC2212/xx. | 194.00 |
| MTU-4-WH | AE SERIES 22-1/4" U-BRACKET(white) | U-Bracket For Model AC2212/xx. White finish. | 194.00 |
| MTU7212 | U-BRACKET 12" | U-Bracket for VP7212 LoudSpeaker System | 431.00 |
| MTU7215 | U-BRACKET 15" | U-Bracket for VP7215 Loudspeaker System | 546.00 |
| PA7212-18H | 2 WAY PLANNAR ARRAY KIT | Planar Array Kit for Rigging One VPSB7118 Subwoofer System with a | 1,481.00 |
| PA7212-18V | 2 WAY PLANNAR ARRAY KIT | Planar Array Kit for Rigging Two VP7212 Loudspeakers Under One | 1,376.00 |
| PA7212-2 | 2 WAY PLANNAR ARRAY KIT | Two Wide Planar Array Kit for VP7212 Loudspeaker System | 1,071.00 |
| PA7215-2 | 2 WAY PLANNAR ARRAY KIT | Two Wide Planar Array Kit for VP7215 Loudspeaker System | 1,071.00 |
| PA7315-2 | 2 WAY PLANNAR ARRAY KIT | Two Wide Planar Array Kit for VP7315 Loudspeaker System | 1,071.00 |
| PAF-1K | AE PLANAR ARRAY FRAME 1 | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment | 1,502.00 |
| PAF-1K-WH | AE PLANAR ARRAY FRAME 1-WHITE | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment | 1,502.00 |
| PAF-2K | AE PLANAR ARRAY FRAME 2 | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment | 1,874.00 |
| PAF-2K-WH | AE PLANAR ARRAY FRAME 2-WHITE | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment | 1,874.00 |
| PAF-3K | AE PLANAR ARRAY FRAME 3 | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment | 1,985.00 |
| PAF-3K-WH | AE PLANAR ARRAY FRAME 3-WHITE | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment | 1,985.00 |
| PD5122 | Dual 12" low-frequency loudspeaker | High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. | 2,352.00 |
| PD5122-WH | Dual 12" low-frequency loudspeaker (white) | High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. | 2,352.00 |
| PD5122-WRC | Dual 12" low-frequency loudspeaker (Weather Protection Treatment) | High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. | 3,287.00 |
| PD5122-WRX | Dual 12" low-frequency loudspeaker (Extreme Weather Protection) | High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. | 3,612.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|---------------|--|--|-----------------|
| PD5125 | Dual 15" low-frequency loudspeaker | High Output Low Frequency Loudspeaker with 15" Front Loaded | 2,447.00 |
| PD5125-WH | Dual 15" low-frequency loudspeaker (white) | High Output Low Frequency Loudspeaker with 15" Front Loaded | 2,447.00 |
| PD5125-WRC | Dual 15" low-frequency loudspeaker (Weather Protection Treatment) | High Output Low Frequency Loudspeaker with 15" Front Loaded | 3,381.00 |
| PD5125-WRX | Dual 15" low-frequency loudspeaker (Extreme Weather Protection) | High Output Low Frequency Loudspeaker with 15" Front Loaded | 3,864.00 |
| PD5200/43 | Two-way mid-high horn-loaded loudspeaker | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 4,667.00 |
| PD5200/43-WH | Two-way mid-high horn-loaded loudspeaker (white) | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 4,667.00 |
| PD5200/43-WRC | Two-way mid-high horn-loaded loudspeaker (Weather Protection) | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 5,691.00 |
| PD5200/43-WRX | Two-way mid-high horn-loaded loudspeaker (Extreme Weather) | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 6,510.00 |
| PD5200/64 | Two-way mid-high horn-loaded loudspeaker | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 4,132.00 |
| PD5200/64-WH | Two-way mid-high horn-loaded loudspeaker (white) | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 4,132.00 |
| PD5200/64-WRC | Two-way mid-high horn-loaded loudspeaker (Weather Protection) | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 5,103.00 |
| PD5200/64-WRX | Two-way mid-high horn-loaded loudspeaker (Extreme Weather) | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 6,053.00 |
| PD5200/95 | Two-way mid-high horn-loaded loudspeaker | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 4,132.00 |
| PD5200/95-WH | Two-way mid-high horn-loaded loudspeaker (white) | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 4,132.00 |
| PD5200/95-WRC | Two-way mid-high horn-loaded loudspeaker (Weather Protection) | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 5,103.00 |
| PD5200/95-WRX | Two-way mid-high horn-loaded loudspeaker (Extreme Weather) | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF | 6,053.00 |
| PD5212/43 | 12" two-way horn-loaded loudspeaker | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 5,072.00 |
| PD5212/43-WH | 12" two-way horn-loaded loudspeaker (white) | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 5,072.00 |
| PD5212/43-WRC | 12" two-way horn-loaded loudspeaker (Weather Protection Treatment) | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 6,085.00 |
| PD5212/43-WRX | 12" two-way horn-loaded loudspeaker (Extreme Weather Protection) | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 6,384.00 |
| PD5212/64 | 12" two-way horn-loaded loudspeaker | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 4,526.00 |
| PD5212/64-WH | 12" two-way horn-loaded loudspeaker (white) | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 4,526.00 |
| PD5212/64-WRC | 12" two-way horn-loaded loudspeaker (Weather Protection Treatment) | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 5,460.00 |
| PD5212/64-WRX | 12" two-way horn-loaded loudspeaker (Extreme Weather Protection) | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 5,775.00 |
| PD5212/95 | 12" two-way horn-loaded loudspeaker | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 4,526.00 |
| PD5212/95-WH | 12" two-way horn-loaded loudspeaker (white) | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 4,526.00 |
| PD5212/95-WRC | 12" two-way horn-loaded loudspeaker (Weather Protection Treatment) | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 5,460.00 |
| PD5212/95-WRX | 12" two-way horn-loaded loudspeaker (Extreme Weather Protection) | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded | 5,775.00 |
| PD5322/43 | Dual 12" three-way full-range loudspeaker | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 5,670.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|---------------|---|---|-----------------|
| PD5322/43-WH | Dual 12" three-way full-range loudspeaker (white) | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 5,670.00 |
| PD5322/43-WRC | Dual 12" three-way full-range loudspeaker (Weather Protection | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 6,673.00 |
| PD5322/43-WRX | Dual 12" three-way full-range loudspeaker (Extreme Weather Protection | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 6,967.00 |
| PD5322/64 | Dual 12" three-way full-range loudspeaker | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 5,056.00 |
| PD5322/64-WH | Dual 12" three-way full-range loudspeaker (white) | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 5,056.00 |
| PD5322/64-WRC | Dual 12" three-way full-range loudspeaker (Weather Protection | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 6,206.00 |
| PD5322/64-WRX | Dual 12" three-way full-range loudspeaker (Extreme Weather Protection | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 6,515.00 |
| PD5322/95 | Dual 12" three-way full-range loudspeaker | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 5,056.00 |
| PD5322/95-WH | Dual 12" three-way full-range loudspeaker (white) | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 5,056.00 |
| PD5322/95-WRC | Dual 12" three-way full-range loudspeaker (Weather Protection | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 6,206.00 |
| PD5322/95-WRX | Dual 12" three-way full-range loudspeaker (Extreme Weather Protection | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF | 6,515.00 |
| PD743 | HIGH OUTPUT COAX 40 X 30 | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 | 10,374.00 |
| PD743-WRC | HIGH OUTPUT COAX 40 X 30 (Weather Protection Treatment) | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 | 11,230.00 |
| PD743-WRX | HIGH OUTPUT COAX 40 X 30 (Extreme Weather Protection Treatment) | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 | 11,666.00 |
| PD764 | HIGH OUTPUT COAX 60 X 40 | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 | 9,450.00 |
| PD764-WRC | HIGH OUTPUT COAX 60 X 40 (Weather Protection Treatment) | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 | 9,041.00 |
| PD764-WRX | HIGH OUTPUT COAX 60 X 40 (Extreme Weather Protection Treatment) | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 | 9,392.00 |
| PM42 | 42" POLE | 42" Pole for use with SM7200 when pole mounting VP7210, VP7212, and | 158.00 |
| PMB-BK | POLE MOUNT BRACKET FOR CCRV | Pole-mount bracket for combining 4 pcs of Control CRV into a 360° round | 53.00 |
| PMB-WH | POLE MOUNT BRACKET FOR CCRV | Pole-mount bracket for combining 4 pcs of Control CRV into a 360° round | 53.00 |
| PRX412M | 12" Two-Way Stage Monitor | 12" two-way stage monitor or front of house passive speaker system; | 624.00 |
| PRX412M-WH | 12" 2-WAY WHITE UTILITY SPEAKER | 12" two-way stage monitor or front of house passive speaker system; | 730.00 |
| PRX415M | Two-Way 15" Stage Monitor | 15" two-way stage monitor or front- of- house passive speaker system; | 686.00 |
| PRX415M-WH | 15" 2-WAY WHITE UTILITY SPEAKER | 15" two-way stage monitor or front- of- house passive speaker system; | 810.00 |
| PRX418S | 18" Subwoofer | Compact 18" portable subwoofer system; 35Hz Frequency Range, 2400 | 936.00 |
| PRX425 | Dual 15" Two-Way Loudspeaker System | Dual 15" two-way passive speaker system; 2400 Watt peak power | 936.00 |
| PRX612M | 12" 2-way powered multi-purpose speaker | 12" two-way stage monitor or front of house self-powered speaker | 1,299.00 |
| PRX615M | 15" 2-way powered multi-purpose speaker | 15" two-way stage monitor or front of house self powered speaker | 1,449.00 |
| PRX618S | 18" Powered Subwoofer | Compact 18" portable subwoofer system, 41 Hz, 600 watt class D | 1,499.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|--------------|---|--|-----------------|
| PRX618S-XLF | 18" Extended Low Frequency Powered Subwoofer | High performance portable 18" subwoofer system; 30Hz, 1000 watt | 1,849.00 |
| PRX625 | Dual 15" 2-way Powered Speaker | Dual 15" two-way self-powered speaker system; 1500 Watt (3x 500 watt) | 1,749.00 |
| PRX635 | Self powered 15", three-way, bass-reflex | 15" three-way self-powered speaker system; 1500 Watt (3x 500 watt) | 1,599.00 |
| SCS12 | SPATIALLY CUED SURROUND 12" | Two-way Full Range Cinema Surround Speaker ideal for Multi Channel | 692.00 |
| SCS8 | SPATIALLY CUED SURROUND 8" | Two-way Full Range Cinema Surround Speaker ideal for Multi Channel | 475.00 |
| SM7200 | Pole Mount Bracket | Stand Mount for VP7210, VP7212 and VP7215 Loudspeaker Systems | 284.00 |
| SS2-BK | TRIPOD MOUNT SR/MR,EON,TR105/125,CNTRL 5 | Tripod Stand for EON, JRX, MRX, PRX, SRX, and VRX | 221.90 |
| SS3-BK | SPEAKER POLE MOUNT | 35mm Diameter, 41" (1041.4 mm) Speaker Pole for JRX, MRX and PRX | 64.00 |
| SS3-BK24 | SM SS3-BK24 | S/M SS3-BK24 | 65.09 |
| SS4-BK | SPEAKER POLE MOUNT | Adjustable Pole (35.5" - 57"; 900 mm – 1450 mm) for use with | 139.50 |
| SS4-BK24 | SM SS3-BK24 | S/M SS3-BK24 | 75.93 |
| SS5-BK | TRIPOD MOUNT SR/MR,EON,TR105/125,CNTRL 5 | Metal Pole Stand with hand-crank for VT4886's with locking collar and | 272.00 |
| STX812M | 12" Bass-Reflex Stage Monitor | 12" Two-Way, Low-Profile Stage Monitor/Utility System in a Symmetrical | 1,499.00 |
| STX812M-YK | Yoke Bracket Assy, STX812M | Yoke Bracket Assy, STX812M | 149.00 |
| STX815M | 15" Two-Way Bass Reflex Loudspeaker | 15" Two-Way System in an Angled Enclosure; 36mm Pole Mount Socket; | 1,874.00 |
| STX818S | Single 18" Bass Reflex Subwoofer | 18" Compact Subwoofer; 2242H Super Vented Gap® LF; 1000W Pink | 1,499.00 |
| STX825 | Dual 15" Bass Reflex Loudspeaker | Dual 15" Two-Way System in a Trapezoidal Enclosure; 2 x 2226H Vented | 2,499.00 |
| STX828S | Dual 18" Bass Reflex Subwoofer | Dual 18" High Power Subwoofer; 2 x 2242H Super Vented Gap® LF; | 2,499.00 |
| STX835 | Dual 15" Horn Loaded Loudspeaker | Dual 15" Two-Way System in a Trapezoidal Enclosure; 2 x 2226H Vented | 3,249.00 |
| VLA301 | Three-way horn-loaded line array system | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 10,206.00 |
| VLA301H | Three-way horn-loaded line array system | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 12,668.00 |
| VLA301H-WRC | Three-way horn-loaded line array system (Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 12,422.00 |
| VLA301H-WRX | Three-way horn-loaded line array system (Extreme Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 16,259.00 |
| VLA301-WRC | Three-way horn-loaded line array system (Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 9,251.00 |
| VLA301-WRX | Three-way horn-loaded line array system (Extreme Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 13,377.00 |
| VLA601 | Three-way horn-loaded line array system | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 8,710.00 |
| VLA601H | Three-way horn-loaded line array system | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 11,477.00 |
| VLA601H-WRC | Three-way horn-loaded line array system (Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 12,128.00 |
| VLA601H-WRX | Three-way horn-loaded line array system (Extreme Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 13,892.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|---------------|---|---|-----------------|
| VLA601-WRC | Three-way horn-loaded line array system (Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 8,962.00 |
| VLA601-WRX | Three-way horn-loaded line array system (Extreme Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 11,235.00 |
| VLA901 | Three-way horn-loaded line array system | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 9,765.00 |
| VLA901H | Three-way horn-loaded line array system | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 11,366.00 |
| VLA901H-WRC | Three-way horn-loaded line array system (Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 11,907.00 |
| VLA901H-WRX | Three-way horn-loaded line array system (Extreme Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 13,403.00 |
| VLA901-WRC | Three-way horn-loaded line array system (Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 8,752.00 |
| VLA901-WRX | Three-way horn-loaded line array system (Extreme Weather Protection | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker | 11,351.00 |
| VP7118-ACC | VP7118-ACC - SOFT COVER & DOLLY BOARD | Accessory Kit for VPSB7118. Includes Padded Cover and Dolly | 935.00 |
| VP7210/95DP | S/M, VP7210/95DP | Powered High-Output 2-Way Full-Range Fill Loudspeaker with 1 x 10" LF | 3,717.00 |
| VP7210-CVR | VP7210 - SOFT COVER | Padded Cover for VP7210 | 131.00 |
| VP7212/64DP | Powered 12" two-way full-range loudspeaker system | Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 | 5,513.00 |
| VP7212/64DPDA | Same as above with DPDA input module | VP7212/64DP (Optional AES/EBU Module) | 6,946.00 |
| VP7212/95DP | Powered 12" two-way full-range loudspeaker system | Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 | 5,513.00 |
| VP7212/95DPC | COMPACT 15" 2-WAY POWERED | Compact Powered High-Output 2-way Full-Range Loudspeaker With 1 x | 3,749.00 |
| VP7212/95DPDA | Same as above with DPDA input module | VP7212/95DP (Optional AES/EBU Module) | 6,946.00 |
| VP7212M-CVR | VP7212M- SOFT COVER | Padded Cover for VP7212M | 158.00 |
| VP7212MDP | S/M, VP7212MDP | Powered High-Output 2-Way Stage-Monitor Loudspeaker with 1 x 12" LF | 3,838.00 |
| VP7215/64DP | Powered 15" two-way full-range loudspeaker system | Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 | 5,964.00 |
| VP7215/64DPDA | With DPDA input module | VP7215/64DP (Optional AES/EBU Module) | 7,397.00 |
| VP7215/95DP | Powered 15" two-way full-range loudspeaker system | Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 | 5,964.00 |
| VP7215/95DPC | COMPACT 15" 2-WAY POWERED | Compact Powered High-Output 2-way Full-Range Loudspeaker with 1 x | 4,190.00 |
| VP7215/95DPDA | With DPDA input module | VP7215/95DP (Optional AES/EBU Module) | 7,397.00 |
| VP7315/64DP | Powered 15" three-way full-range loudspeaker system | Powered High-Output 3-Way Full-Range Loudspeaker with 1 x 15" LF, 1 x | 7,970.00 |
| VP7315/64DPDA | With DPDA input module | VPSB6118DP (Optional AES/EBU Module) | 9,403.00 |
| VP7315-ACC | VP7315-ACC - SOFT COVER & DOLLY BOARD | Accessory Kit for VP7315. Includes Padded Cover and Dolly Wheelboard. | 1,113.00 |
| VPSB7118DP | Powered 18" subwoofer | Powered High-Output Single 18" Subwoofer. Eight 3" Flytrack and | 5,513.00 |
| VPSB7118DPDA | With DPDA input module | VPSB6118DP (Optional AES/EBU Module) | 6,946.00 |
| VRX915M | S/M, VRX915M | 15" two-way dedicated floor monitor system with an 800 watt 2265H | 2,059.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|---------------|--|--|-----------------|
| VRX915S | S/M, VRX915S | 15" Bass Reflex Subwoofer | 1,549.00 |
| VRX915S-WH | S/M, VRX915S-WH | 15" Bass Reflex Subwoofer - white | 1,549.00 |
| VRX918S | S/M, VRX918S | 18" compact, flying subwoofer; 2268H Differential Drive® LF; integral | 1,679.00 |
| VRX918SP | S/M, VRX918SP | Powered 18" flying subwoofer; 2268H Differential Drive® LF, Crown DPC- | 2,399.00 |
| VRX918S-WH | S/M, VRX918S-WH | 18" Compact, Flying Subwoofer; 2268H Differential Drive® LF; Integral | 1,679.00 |
| VRX928LA | S/M, VRX928LA | 8" two-way line-array system with 1 x 2168H-1 Differential Drive® 400 W | 1,779.00 |
| VRX928LA-WH | S/M, VRX928LA-WH | 8" Two-Way Line-Array System with 1 x 2168H-1 Differential Drive® | 1,779.00 |
| VRX932LA-1 | SALES MODEL, VRX932LA-1 | 12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x | 2,759.00 |
| VRX932LA-1WH | S/M, VRX932LA-1WH | 12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x | 2,759.00 |
| VRX932LAP | SALES MODEL, VRX932LAP | Powered 12" two-way line-array system with 1 x 2262H Differential | 3,429.00 |
| VRX-AF | S/M, VRX-AF | Array Frame for suspending VRX932LA-1/P, VRX918S/P enclosures. | 1,049.00 |
| VRX-SMAF | S/M, VRX-SMAF | Small Array Frame for suspending VRX928LA and VRX915S arrays. | 629.00 |
| VT4800-CA | COMPACT ADAPTER FRAME FOR VERTEC (COUPLE TO FULLSIZE BOXES) | Compact Adapter Frame for combining different VERTEC system models | 2,781.00 |
| VT4800-DA | DOWNFILL ADAPTER FRAME FOR VERTEC (COUPLE TO FULLSIZE BOXES) | Downfill Adapter Frame for suspending up to four VT4887 beneath | 1,947.00 |
| VT4800-UA | UNIVERSAL ADAPTER FRAME FOR VERTEC (MIDSIZE OR COMPACT TO FU | Universal Adapter Frame for combining different VERTEC system models | 3,572.00 |
| VT4880 | VERTEC FULLSIZE SUBWOOFER | 2 x 18" Arrayable Subwoofer for suspension or ground-stacking. Two | 4,762.00 |
| VT4880A | FULLSIZE SUBWOOFER, ULTRA LONG EXCURSION SPEAKERS | 2 x 18" Ultra Long Excursion, High Power Handling Arrayable Subwoofer | 6,393.00 |
| VT4880A-ACC | ACCESSORY KIT, COVER AND DOLLY | Accessory Kit for VT4880A Subwoofer is sold and shipped as a separate | 815.00 |
| VT4880-ACC | ACCESSORY KIT, COVER AND DOLLY AND INCLUDES HINGEBARS | Accessory Kit for VT4880 subwoofer is sold and shipped as a separate | 1,079.00 |
| VT4880ADP | POWERED FULLSIZE 2-18" SUBWOOFER W/DPIP (dbx) | Fullsize Powered 2x18" Arrayable Subwoofer. Equipped with DP-3 JBL | 9,921.00 |
| VT4880ADP-ACC | S/M, VT4880ADP-ACC | Accessory Kit for VT4880ADP models. Includes items necessary for safe, | 1,090.00 |
| VT4880ADP-DA | POWERED FULLSIZE 2-18" SUBWOOFER W/DPDA | VT4880ADP with standard DPDA input module. AES for digital audio and | 11,151.00 |
| VT4881A | COMPACT 1-18" SUBWOOFER | Compact 1x18" Very Low Frequency Arrayable Subwoofer. Replaces | 3,836.00 |
| VT4881-ACC | DOLLY AND COVER FOR VT4881A OR VT4881 | Accessory Kit for VT4881A Midsize Line Array Element is Sold and | 705.00 |
| VT4881ADP | POWERED COMPACT 1-18" SUBWOOFER W/DPIP (dbx) | 1 X 18" Powered Compact Arrayable Subwoofer Equipped with DP1 | 5,698.00 |
| VT4881ADP-ACC | ACCESSORY KIT, COVER AND DOLLY FOR POWERED COMPACT SUB | Accessory Kit for VT4881ADP Systems. Sold and shipped separately. | 991.00 |
| VT4881ADP-DA | POWERED COMPACT 1-18" SUBWOOFER W/DPDA MODULE | VT4881ADP with standard DPDA input module. AES for digital audio and | 6,928.00 |
| VT4882 | MIDSIZE 2x15" LINE ARRAY SUBWOOFER | Midsize 2x15" Arrayable Subwoofer Loudspeaker for Suspension or | 4,527.00 |
| VT4882-ACC | ACCESSORY KIT, DOLLY AND COVER FOR VT4882 | Accessory Kit for VT4882 Midsize Subwoofer. Includes Items Necessary | 737.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|---------------|--|--|-----------------|
| VT4882DP | MIDSIZE 2x15" LINE ARRAY SUBWOOFER W/DPIP (dbx) | Powered 2x15" Midsize Arrayable Subwoofer Equipped with DP3 | 7,290.00 |
| VT4882DP-ACC | ACCESSORY KIT, DOLLY AND COVER FOR POWERED VT4882DP | Accessory Kit for VT4882DP systems. Sold and shipped separately. | 1,013.00 |
| VT4882DP-DA | POWERED MIDSIZE 2-15" SUBWOOFER W/DPDA | VT4882DP with standard DPDA input module. AES for digital audio and | 8,543.00 |
| VT4883 | SUBCOMPACT 2x12" ARRAYABLE SUBWOOFER | Subcompact 2 x 12" Cardioid-Arrayable Subwoofer Loudspeaker with 2x | 3,115.00 |
| VT4886 | SUBCOMPACT FULLRANGE LINE ARRAY ELEMENT | Subcompact 2 x 6.5" Passive 3-Way High Directivity Line Array Element | 3,004.00 |
| VT4886-AF | SUBCOMPACT SYSTEM ARRAY FRAME | Subcompact System Array Frame for suspension of VT4883, VT4886 or | 1,783.00 |
| VT4886-DF88 | SUBCOMPACT SYSTEM DOWNFILL FRAME | Subcompact System Downfill Frame for suspension of up to 8 VT4886 Sub | 1,969.00 |
| VT4886-DF89 | SUBCOMPACT SYSTEM DOWNFILL FRAME | Subcompact System Downfill Frame for suspension of up to 8 VT4886 Sub | 2,126.00 |
| VT4886-HB | VERTEC SUBCOMPACT BRACKET, 3-BOXES, WITH POLEMOUNT, EXT. PLA | Subcompact System Horizontal Bracket for suspension of up to six VT4886 | 1,223.00 |
| VT4886-SF | SUBCOMPACT SYSTEM SHORT FRAME | Subcompact System Short Frame for suspension of VT4886 arrays. Mates | 1,680.00 |
| VT4886-UB | VERTEC SUBCOMPACT BRACKET, 3-BOX, POLEMOUNT | Mounting cradle for VT4886's with bolt-on pole mount adaptor. Base | 440.00 |
| VT4886-UB1 | VERTEC SUBCOMPACT BRACKET, 1-2 BOXES ONLY | Basic U-bracket cradle for 1 or 2 VT4886's with mounting holes. Steel, | 296.00 |
| VT4887A | COMPACT FULLRANGE LINE ARRAY ELEMENT | Bi-Amplified Three-Way High Directivity Compact Line Array Element. | 4,640.00 |
| VT4887A-ASP | ACOUSTICAL SPARES KIT FOR VT4887A | Acoustical Spares Kit for VT4887A. Includes (1) 2168J-1 8" speaker, (2) | 1,119.00 |
| VT4887-ACC | ACCESSORY KIT, DOLLY AND COVER FOR VT4887A OR VT4887 | Accessory Kit for VT4887A compact line array element is sold and | 583.00 |
| VT4887ADP | POWERED COMPACT LINE ARRAY ELEMENT w/DPIP (dbx) | Powered Compact High Directivity Line Array Element Equipped with | 6,867.00 |
| VT4887ADP-ACC | ACCESSORY KIT, DOLLY AND COVER FOR VT4887ADP OR -DA | Accessory Kit for VT4887ADP Systems. Sold and shipped separately. | 815.00 |
| VT4887ADP-DA | POWERED COMPACT LINE ARRAY ELEMENT w/DPDA INPUT MODULE | VT4887ADP with standard DPDA input module. AES for digital audio and | 8,097.00 |
| VT4887-AF | ARRAY FRAME FOR ALL VT COMPACT MODELS INCLUDING DP SERIES | Array Frame for suspending VT4887A or VT4881A enclosures, including | 2,778.00 |
| VT4887-MSP | M ECHANICAL SPARES KIT FOR VT4887 | Mechanical Spares Kit for VT4887A or VT4887. Includes quantity of | 1,096.00 |
| VT4887-SF | SHORT FRAME FOR ALL VT COMPACT MODELS INCLUDING DP SERIES | Short Frame for suspending VT4887A or VT4881A enclosures, including | 1,838.00 |
| VT4888 | MIDSIZE 3-WAY LINE ARRAY ELEMENT | Three-Way High Directivity Midsize Line Array Element. Precision | 7,311.00 |
| VT4888-ACC | ACCESSORY KIT, DOLLY AND COVER FOR VT4888 | Accessory Kit for VT4888 midsize line array element is sold and shipped | 594.00 |
| VT4888-AF | ARRAY FRAME FOR ALL VT COMPACT MODELS INCLUDING DP SERIES | Array Frame for suspending VT4888 or VT4882 enclosures, including | 3,027.00 |
| VT4888-ASP | ACOUSTICAL SPARES KIT FOR VT4888 | Acoustical Spares Kit for VT4888. Includes (1) 2262H 12" speaker, (2) | 2,182.00 |
| VT4888DP | MIDSIZE POWERED 3-WAY LINE ARRAY ELEMENT | Powered 3-Way High Directivity Midsize Line Array Element Equipped | 10,038.00 |
| VT4888DP-ACC | ACCESSORY KIT, DOLLY AND COVER FOR POWERED VT4888DP, -DA | Accessory Kit for VT4888DP systems. Sold and shipped separately. | 958.00 |
| VT4888DP-DA | MIDSIZE POWERED LINE ARRAY ELEMENT W/DPDA INPUT MODULE | VT4888DP with standard DPDA input module. AES for digital audio and | 11,279.00 |
| VT4888-MSP | MECHANICAL SPARES KIT FOR VT4888 | Mechanical Spares Kit for VT4888. Includes quantity of screws, lanyards, | 1,119.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|----------------|--|--|-----------------|
| VT4888-SF | SHORT FRAME FOR ALL VERTEC MIDSIZE MODELS INCLUDING DP SERIES | Short Frame for suspending VT4888 or VT4882 enclosures, including | 1,881.00 |
| VT4889 | FULLSIZE 3-WAY LINE ARRAY ELEMENT, COMPOSITE BOX | Three-Way High Directivity Full Size Line Array Element Loudspeaker with | 14,518.00 |
| VT4889-1 | FULLSIZE 3-WAY LINE ARRAY ELEMENT, WOOD BOX | Three-Way High Directivity Full Size Line Array Element Loudspeaker with | 10,451.00 |
| VT4889-1-ACC | ACCESSORY KIT, DOLLY AND COVER FOR VT4889-1 | SALES MODEL, VT4889-1-ACC | 815.00 |
| VT4889ADP | FULLSIZE POWERED LINE ARRAY ELEMENT w/DPIP (dbx) | Fullsize Powered 3-Way High Directivity Line Array Element Loudspeaker. | 14,607.00 |
| VT4889ADP-ACC | ACCESSORY KIT, DOLLY AND COVER FOR VT4889ADP | Accessory Kit for VT4889ADP models. Includes items necessary for safe, | 1,068.00 |
| VT4889ADP-DA | FULLSIZE POWERED LINE ARRAY ELEMENT w/DPDA INPUT MODULE | VT4889ADP with standard DPDA input module. AES for digital audio and | 15,836.00 |
| VT4889-AF | ARRAY FRAME FOR ALL FULLSIZE VERTEC MODELS INCLUDING DP SERIES | Array Frame for suspending or ground stacking VTX V25, VTX S28, | 3,242.85 |
| VT4889-ASP | ACCOUSTICAL SPARES KIT FOR VT4889 | Acoustical Spares Kit for VT4889, VT4889-1. Includes minimum | 3,868.00 |
| VT4889-MSP | MECHANICAL SPARES KIT FOR VT4889 | Mechanical Spares Kit for VT4889, VT4889-1. Includes quantity of screws, | 2,032.00 |
| VT4889-SF | SHORT FRAME FOR ALL FULLSIZE VERTEC MODELS INCLUDING DP SERIES | Short frame for suspending VT4889 or VT4880 enclosures, including | 2,270.00 |
| VTDP1-81ADA-UK | DP1 UPGRADE KIT FOR VT4881A | DP-1 JBL DrivePack amplification assembly with instructions and DPDA | 2,730.00 |
| VTDP2-87ADA-UK | DP2 UPGRADE KIT FOR VT4887A | DP-2 JBL DrivePack amplification assembly with instructions and DPDA | 2,730.00 |
| VTDP3-80ADA-UK | DP3 UPGRADE KIT FOR VT4880A | DP-3 JBL DrivePack amplification assembly with instructions and DPDA | 3,465.00 |
| VTDP3-82DA-UK | DP3 UPGRADE KIT FOR VT4882 | DP-3 JBL DrivePack amplification assembly with instructions and DPDA | 3,413.00 |
| VTDP3-88DA-UK | DP3 UPGRADE KIT FOR VT4888 | DP-3 JBL DrivePack amplification assembly with instructions and DPDA | 3,413.00 |
| VTDP3-89ADA-UK | DP3 UPGRADE KIT FOR VT4889-1 | DP-3 JBL DrivePack amplification assembly with instructions and DPDA | 3,465.00 |
| VTX-G28 | DUAL 18" SUBWOOFER, GROUND-STACK | VTX Series G28 Ground-Stack Dual 18" Subwoofer featuring | 5,575.00 |
| VTX-G28-ACC | S/M, VTX-G28-ACC | VTX G28 Accessory Cover Caster-Board for transportation | 1,358.00 |
| VTX-LZ | S/M, VTX-LZ | VTX Series Laser Unit installation accessory. Includes mount bracket for | 225.00 |
| VTX-LZ-K | S/M, VTX-LZ-K | VTX Series Laser Kit installation accessory. Includes 2x VTX-LZ lasers and | 599.00 |
| VTX-LZ-PS | S/M, VTX-LZ-PS | VTX Series Laser Power Supply installation accessory. Replacement or | 235.00 |
| VTX-S28 | DUAL 18" SUBWOOFER, SUSPENDABLE | VTX Series S28 Suspendable Dual 18" Subwoofer featuring | 6,720.00 |
| VTX-S28-ACC | S/M, VTX-S28-ACC | VTX S28 Accessory Cover Caster-Board for transportation | 1,162.00 |
| VTX-S28-VT | VTX S28 Vertical Transporter | VTX S28 Vertical Transporter for transportation of up to three VTX S28 | 3,060.00 |
| VTX-V25 | FULL SIZE 3-WAY LINE ARRAY ELEMENT | VTX Series V25 Fullsize 3-Way Line Array Element featuring | 12,999.00 |
| VTX-V25-ACC | S/M, VTX-V25-ACC | VTX V25 Accessory Cover Caster-Board for transportation | 999.00 |
| VTX-V25-ASP | S/M, VTX-V25-ASP | VTX Series V25 Acoustical Spare Parts kit. Includes: (3x) D2430K | 3,999.00 |
| VTX-V25-MSP | S/M, VTX-V25-MSP | VTX Series V25 Mechanical Spare Parts kit. Includes: (1x) front hinge bar; | 2,370.00 |

JBL MSRP/List Pricing

| Model Number | Short Description | Long Description | U.S. List Price |
|--------------|--|---|-----------------|
| VTX-V25-VT | VTX V25 Vertical Transporter | VTX V25 Vertical Transporter for transportation of up to four VTX V25 end | 3,265.00 |
| VTX-V25-VTT | VTX V25 Vertical Transporter | VTX V25 Vertical Transporter--Tilttable for transport of up to four VTX V25 | 9,315.00 |
| VTX-VT-FL | VTX Vertical Transporter Fork Lift Adapter | VTX Vertical Transporter Fork Lift Adapter. Optional accessory for use | 875.00 |
| WK-4S | CASTER SET OF 4 SWIVEL CASTERS | Wheel Kit for SRX718S/VRX918S/VRX918S. 4 x Swivel Casters | 89.00 |
| YM7212-15 | S/M YM7212-15 | Yoke Mount (Pan & Tilt) for VP7212 and VP7215 Loudspeaker Systems | 1,181.00 |